

State of Georgia



Department of Community Health

**2015 Validation of Performance Measures
for
WellCare of Georgia, Inc.**

Measurement Period: Calendar Year 2014
Validation Period: January–June 2015
Publish Date: August 2015



3133 East Camelback Road, Suite 100 • Phoenix, AZ 85016

Phone 602.264.6382 • Fax 602.241.0757

CONTENTS

for WellCare of Georgia, Inc.

| | |
|---|-----|
| Validation of Performance Measures | .1 |
| Validation Overview | 1 |
| Care Management Organization (CMO) Information | 1 |
| Performance Measures Validated | 2 |
| Description of Validation Activities | 4 |
| Pre-Audit Strategy | 4 |
| Validation Team..... | 4 |
| Technical Methods of Data Collection and Analysis..... | 5 |
| On-Site Activities | 6 |
| Data Integration, Data Control, and Performance Measure Documentation | 8 |
| Data Integration..... | 8 |
| Data Control | 8 |
| Performance Measure Documentation | 8 |
| Validation Results | 9 |
| Medical Service Data (Claims/Encounters)..... | 9 |
| Enrollment Data..... | 9 |
| Provider Data | 10 |
| Medical Record Review Process | 10 |
| Supplemental Data | 12 |
| Data Integration | 12 |
| Performance Measure Specific Findings | 13 |
| Appendix A. Data Integration and Control Findings | A-1 |
| Documentation Worksheet..... | A-1 |
| Appendix B. Denominator and Numerator Validation Findings | B-1 |
| Reviewer Worksheets | B-1 |
| Appendix C. Performance Measure Rate Submission File | C-1 |
| Appendix D. HEDIS Interactive Data Submission System Data | D-1 |

Validation of Performance Measures for WellCare of Georgia, Inc.

Validation Overview

Validation of performance measures is one of three mandatory external quality review (EQR) activities that the Balanced Budget Act of 1997 (BBA) requires state Medicaid agencies to perform. Health Services Advisory Group, Inc. (HSAG), the external quality review organization (EQRO) for the Georgia Department of Community Health (DCH), conducted the validation activities. The DCH contracts with three privately owned managed care organizations (MCOs), referred to by the State as care management organizations (CMOs), to provide services to members who are enrolled in the State's Medicaid managed care program and the Children's Health Insurance Program (CHIP). The State refers to its Medicaid managed care program as Georgia Families and to CHIP as PeachCare for Kids®. For the purposes of this report, Georgia Families refers to all Medicaid and CHIP members enrolled in managed care. HSAG validated a set of performance measures identified by DCH that were calculated and reported by the CMOs for their Georgia Families population. The DCH identified the measurement period as calendar year (CY) 2014. HSAG conducted the validation in accordance with the Centers for Medicare & Medicaid Services (CMS) publication, *EQR Protocol 2: Validation of Performance Measures Reported by the MCO: A Mandatory Protocol for External Quality Review (EQR)*, Version 2.0, September 2012.¹

Care Management Organization (CMO) Information

Basic information about WellCare of Georgia, Inc. (WellCare) appears in Table 1, including the office location(s) involved in the 2015 validation of performance measures audit that covered the CY 2014 measurement period.

Table 1—WellCare of Georgia, Inc., Information

| | |
|----------------------------------|--|
| CMO Name: | WellCare of Georgia, Inc. |
| CMO Location: | 211 Perimeter Center Parkway, Suite 800 Atlanta, GA 30346 |
| On-site Location: | 8735 Henderson Rd. Tampa, FL 33634 |
| Audit Contact: | Marianne Thomas, RN, BS Senior Director of Quality |
| Contact Telephone Number: | 770.913.2175 |
| Contact Email Address: | Marianne.thomas@wellcare.com |
| Site Visit Date: | 4/9/2015–4/10/2015 |

¹ Department of Health and Human Services, Centers for Medicare & Medicaid Services. *EQR Protocol 2: Validation of Performance Measures Reported by the MCO: A Mandatory Protocol for External Quality Review (EQR)*, Version 2.0, September 2012. Available at: <http://www.medicaid.gov/Medicaid-CHIP-Program-Information/By-Topics/Quality-of-Care/Quality-of-Care-External-Quality-Review.html>. Accessed on: February 19, 2013.

Performance Measures Validated

HSAG validated rates for the following set of performance measures selected by DCH for validation. All performance measures were selected from CMS' Core Set of Children's Health Care Quality Measures for Medicaid and CHIP (Child Core Set),² Core Set of Health Care Quality Measures for Adults Enrolled in Medicaid (Adult Core Set),³ or the Agency for Healthcare Research and Quality's (AHRQ's) Quality Indicator measures. The measurement period was identified by DCH as CY 2014 for all measures except the two child core set dental measures. The dental measures were reported for federal fiscal year (FFY) 2014, which covered the time frame of October 1, 2013, through September 30, 2014, according to CMS requirements. Table 2 lists the performance measures that HSAG validated, the method required by DCH for data collection, and the specifications the CMOs were required to use for each of the measures.

Table 2—List of CY 2014 Performance Measures for WellCare of Georgia, Inc.

| | Performance Measure | Method | Specifications |
|-----|---|--------|----------------|
| 1. | Antenatal Steroids | Hybrid | Adult Core Set |
| 2. | Asthma in Younger Adults Admission Rate | Admin | Adult Core Set |
| 3. | Care Transition—Timely Transmission of Transition Record | Hybrid | Adult Core Set |
| 4. | Cesarean Delivery Rate | Admin | AHRQ |
| 5. | Cesarean Section for Nulliparous Singleton Vertex | Hybrid | Child Core Set |
| 6. | Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate | Admin | Adult Core Set |
| 7. | Developmental Screening in the First Three Years of Life | Hybrid | Child Core Set |
| 8. | Diabetes Short-Term Complications Admission Rate | Admin | Adult Core Set |
| 9. | Elective Delivery | Hybrid | Adult Core Set |
| 10. | Heart Failure Admission Rate | Admin | Adult Core Set |
| 11. | Live Births Weighing Less Than 2,500 Grams | Admin | AHRQ |
| 12. | Maternity Care—Behavioral Health Risk Assessment | Hybrid | Child Core Set |

² The Centers for Medicare & Medicaid Services. Core Set of Children's Health Care Quality Measures for Medicaid and CHIP, May 2013.

³ The Centers for Medicare & Medicaid Services. Core Set of Health Care Quality Measures for Adults Enrolled in Medicaid, February 2013.

Table 2—List of CY 2014 Performance Measures for WellCare of Georgia, Inc.

| | Performance Measure | Method | Specifications |
|-----|--|--------|----------------|
| 13. | Percentage of Eligibles that Received Dental Treatment Services | Admin | Child Core Set |
| 14. | Percentage of Eligibles that Received Preventive Dental Services | Admin | Child Core Set |
| 15. | Screening for Clinical Depression and Follow-up Plan | Hybrid | Adult Core Set |

In addition to the AHRQ and the CMS adult and child core set measures audited by HSAG, DCH required WellCare to report a selected set of Healthcare Effectiveness Data and Information Set (HEDIS®) measures to DCH. WellCare was required to contract with a National Committee for Quality Assurance (NCQA)-licensed audit organization and undergo an NCQA HEDIS Compliance Audit™. Final audited HEDIS measure results from NCQA's Interactive Data Submission System (IDSS) were submitted to HSAG and provided to DCH. Appendix D displays the final audited HEDIS 2015 results for all required measures, covering the CY 2014 measurement period. HSAG will use these results in addition to the measures HSAG validated as data sources for the annual EQR technical report.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).
 HEDIS Compliance Audit™ is a trademark of the National Committee for Quality Assurance (NCQA).

Description of Validation Activities

Pre-Audit Strategy

HSAG conducted the validation activities as outlined in the CMS performance measure validation protocol. To complete the validation activities for WellCare, HSAG obtained a list of the performance measures that were selected by DCH for validation.

HSAG then prepared a document request letter that was submitted to WellCare outlining the steps in the performance measure validation process. The document request letter included a request for source code for each performance measure; a completed HEDIS 2015 Record of Administration, Data Management, and Processes (Roadmap); any additional supporting documentation necessary to complete the audit; an introduction to the medical record review validation (MRRV) process; a timetable for completion; and instructions for submission. HSAG responded to Roadmap-related questions received directly from WellCare during the pre-on-site phase.

Approximately two weeks prior to the on-site visit, HSAG provided WellCare with an agenda describing all on-site visit activities and indicating the type of staff needed for each session. HSAG also conducted a pre-on-site conference call with WellCare to discuss on-site logistics and expectations, important deadlines, outstanding Roadmap documentation, and any questions from WellCare regarding the process.

Validation Team

The HSAG Performance Measure Validation Team was composed of a lead auditor and several validation team members. HSAG assembled the team based on the skills required for the validation and requirements of WellCare. Some team members, including the lead auditor, participated in the on-site meetings at WellCare; others conducted their work at HSAG's offices. Table 3 lists the validation team members, their roles, and their skills and expertise.

Table 3—Validation Team

| Name and Role | Skills and Expertise |
|--|--|
| David Mabb, MS, CHCA <i>Director, Audits/State & Corporate Services</i> | Management of audit department, Certified HEDIS Compliance Auditor (CHCA), source code/programming knowledge, and statistics and analysis. |
| Allen Iovannisci, MS, CHCA <i>Lead Auditor</i> | CHCA, performance measure knowledge, data integration, systems review, and analysis. |
| Mariyah Badani, JD, MBA, CHCA <i>Co-auditor; Associate Director, Audits</i> | Management of audit department, multiple years of auditing experience, CHCA, data integration, systems review, and analysis. |
| Judy Yip-Reyes, PhD, CHCA <i>Source Code Review Manager; Associate Director, Audits</i> | Auditing experience, performance measure knowledge, source code/programming knowledge, CHCA, and statistics and analysis. |

Table 3—Validation Team

| Name and Role | Skills and Expertise |
|---|--|
| Tammy GianFrancisco <i>Project Leader, Audits</i> | Coordinator for the audit department, liaison between the audit team and clients, manages deliverables and timelines, and coordinates source code review activities. |
| Nancy DeRosa, MS, RN-C <i>Project Manager, MRRV</i> | Knowledge of HEDIS and CMS measure specifications, clinical consulting, and abstraction of medical record data. |
| Maricris Kueny <i>Project Coordinator, MRRV</i> | Coordinator for the HEDIS medical record review (MRR) process, liaison between the audit team and clients, maintains record tracking database, and manages deliverables and timelines. |
| Lora Wagner, MEd <i>Project Manager, MRRV</i> | Manager of the MRRV team and knowledge of HEDIS and CMS measures. |
| Marilea Rose, RN, BA <i>Associate Director, MRRV</i> | Knowledge of HEDIS and CMS measure specifications, clinical consulting and expertise, abstraction of medical record data, and oversight of the medical record over-read process. |

Technical Methods of Data Collection and Analysis

The CMS performance measure validation protocol identifies key types of data that should be reviewed as part of the validation process. The following list describes the type of data collected and how HSAG conducted an analysis of these data:

- ◆ **NCQA's HEDIS 2015 Roadmap:** WellCare completed and submitted the required and relevant portions of its Roadmap for HSAG's review. HSAG used responses from the Roadmap to complete the pre-on-site assessment of information systems.
- ◆ **Medical record documentation:** WellCare completed the MRR section within the Roadmap. In addition, WellCare submitted the following documentation for review: medical record hybrid tools and instructions, training materials for MRR staff members, and policies and procedures outlining the processes for monitoring the accuracy of the reviews performed by the review staff members. To ensure the accuracy of the hybrid data being abstracted by the CMOs, HSAG requested WellCare to participate in the review of a convenience sample for selected hybrid measures. HSAG followed NCQA's guidelines to validate the integrity of the MRR processes used by WellCare and then used the MRRV results to determine if the findings impacted the audit results for each performance measure rate.
- ◆ **Source code (programming language) for performance measures:** WellCare contracted with a software vendor, Inovalon, to generate and calculate rates for the performance measures under review by HSAG. The source code review was conducted via a Web-assisted session where Inovalon displayed the source code for each measure and explained its rate generation and data integration processes to HSAG's source code review team.
- ◆ **Supporting documentation:** HSAG requested documentation that would provide reviewers with additional information to complete the validation process, including policies and procedures, file layouts, system flow diagrams, system log files, and data collection process descriptions. HSAG reviewed all supporting documentation, identifying issues or areas needing clarification for further follow-up.

On-Site Activities

HSAG conducted an on-site visit with WellCare on April 9–10, 2015. HSAG collected information using several methods, including interviews, system demonstration, review of data output files, primary source verification, observation of data processing, and review of data reports. The on-site visit activities are described as follows:

- ◆ **Opening meeting:** The opening meeting included an introduction of the validation team and key WellCare staff members involved in the performance measure validation activities. The review purpose, the required documentation, basic meeting logistics, and queries to be performed were discussed.
- ◆ **Evaluation of system compliance:** The evaluation included a review of the information systems, focusing on the processing of claims and encounter data, provider data, patient data, and inpatient data. Additionally, the review evaluated the processes used to collect and calculate the performance measure rates, including accurate numerator and denominator identification and algorithmic compliance (which evaluated whether rate calculations were performed correctly, all data were combined appropriately, and numerator events were counted accurately).
- ◆ **Review of Roadmap and supporting documentation:** The review included processes used for collecting, storing, validating, and reporting performance measure rates. This session was designed to be interactive with key WellCare staff members so that HSAG could obtain a complete picture of all the steps taken to generate the performance measure rates. The goal of the session was to obtain a confidence level as to the degree of compliance with written documentation compared to the actual process. HSAG conducted interviews to confirm findings from the documentation review, expand or clarify outstanding issues, and ascertain that written policies and procedures were used and followed in daily practice.
- ◆ **Overview of data integration and control procedures:** The overview included discussion and observation of source code logic, a review of how all data sources were combined, and a review of how the analytic file was produced for the reporting of selected performance measure rates. HSAG performed primary source verification to further validate the output files and reviewed backup documentation on data integration. HSAG also addressed data control and security procedures during this session.
- ◆ **Closing conference:** The closing conference included a summation of preliminary findings based on the review of the Roadmap and the on-site visit, and revisited the documentation requirements for any post-visit activities.

HSAG conducted several interviews with key WellCare staff members who were involved with performance measure reporting. Table 4 lists key WellCare interviewees:

Table 4—List of WellCare of Georgia, Inc. Interviewees

| Name | Title |
|----------------------|---------------------------------------|
| Patricia Strickland | Sr. Manager, Configurations |
| Franchesca Radcliffe | Compliance, Oversight Specialist, Sr. |
| Sheila Francis | Compliance, Oversight Specialist, Sr. |
| Danny Sharpe | Director, Quality Data Integrity |
| Jessica Belser | Sr. Director, Reporting & Analytics |

Table 4—List of WellCare of Georgia, Inc. Interviewees

| Name | Title |
|------------------|---|
| Marianne Thomas* | Sr. Director, Quality Improvement—Georgia |
| Tamika Graham* | Manager, Quality Improvement—Georgia |
| Bill Hawes | Director, EDI Operations |
| Taraka Busch | Director, Credentialing |
| Oscar Ruiz | Claims Audit Manager |
| LaSheka Robinson | Manager, Claims |
| Thea Boyd | Sr. Manager, Network Integrity |
| Natalie Lugo | Supervisor, Operations—Enrollment |
| Iris Thurman | Supervisor, Operations—Enrollment |
| Sidhartha Jain | Manager, Application Development |
| Shirali Desai | Director, Enrollment Operations |
| Joyce Colton* | QI Project Manager—Illinois |
| Denise Kaplan* | Sr. Manager, Network Integrity |
| Janette DeJesus | Manager, Pharmacy Compliance/Audit |
| David O'Rourke* | Manager, Delegation and Oversight |
| Jim Westmoreland | Sr. Manager, Encounter Operations |
| Gary Chu | Manager, Application Development |
| Thomas Clegg | QI Project Manager |
| Paula Gumper | Manager, Quality Improvement—Health Services Compliance—Corporate |
| Melinda Mosser | Manager, UM & Delegation Oversight |
| Robert Champagne | Director, Pharmacy Benefit Relations |
| Anthony Watson* | Hospital Services Specialist |

*Interviews were conducted via WebEx.

Data Integration, Data Control, and Performance Measure Documentation

There are several aspects crucial to the calculation of performance measure rates. These include data integration, data control, and documentation of performance measure calculations. Each of the following sections describes the validation processes used and the validation findings. For more detailed information, see Appendix A of this report.

Data Integration

Accurate data integration is essential for calculating valid performance measure rates. The steps used to combine various data sources (including claims/encounter data, eligibility data, and other administrative data) must be carefully controlled and validated. HSAG validated the data integration process used by WellCare, which included a review of file consolidations or extracts, a comparison of source data to warehouse files, data integration documentation, source code, production activity logs, and linking mechanisms. Overall, HSAG determined that the data integration processes in place at WellCare were:

- Acceptable
- Not acceptable

Data Control

WellCare's organizational infrastructure must support all necessary information systems; and its quality assurance practices and backup procedures must be sound to ensure timely and accurate processing of data, and to provide data protection in the event of a disaster. HSAG validated the data control processes WellCare used which included a review of disaster recovery procedures, data backup protocols, and related policies and procedures. Overall, HSAG determined that the data control processes in place at WellCare were:

- Acceptable
- Not acceptable

Performance Measure Documentation

Sufficient, complete documentation is necessary to support validation activities. While interviews and system demonstrations provided supplementary information, the majority of the validation review findings were based on documentation provided by WellCare. HSAG reviewed all related documentation, which included the completed Roadmap, job logs, computer programming code, output files, work flow diagrams, narrative descriptions of performance measure calculations, and other related documentation. Overall, HSAG determined that the documentation of performance measure calculations by WellCare was:

- Acceptable
- Not acceptable

Validation Results

HSAG evaluated WellCare's data systems for processing of each data type used for reporting DCH performance measure rates. General findings are indicated below.

Medical Service Data (Claims/Encounters)

WellCare continued to use the Xcelys claims and encounter system. No significant updates were made to this system since the previous year's audit. WellCare's Xcelys system captured and allowed only standard industry codes. Claims and encounter data were submitted either electronically or via paper forms from WellCare's external providers. Electronic data were submitted through clearinghouses and processed overnight in Xcelys. Paper claims and encounters were submitted directly to WellCare's vendor for scanning and conversion into the standard 837 format. Once converted, the data followed the same process as electronic claims and encounters. WellCare did not enter any claims and encounter data on-site or use any internal staff members to enter claims and encounters directly into the system. WellCare ensured only "clean" claims and encounters were captured in the system; any claims and encounters not passing the appropriate edits were promptly returned to the provider for correction.

HSAG also reviewed the outstanding incurred but not reported (IBNR) report during the on-site audit and found that the majority (greater than 98 percent) of all claims were received by April 2015 for the measurement year. This ensured that any outstanding claims and encounters would not have a significant impact on reporting.

HSAG had no concerns with WellCare's claims and encounter data processes.

Enrollment Data

WellCare received daily and monthly files from the State for member enrollment. Daily files were reconciled against the full monthly file and loaded into Xcelys. No enrollment files were manually processed, and all files were handled in standard 834 transactions. No significant changes were made to the Xcelys system or the enrollment process during 2014, and Xcelys captured all relevant fields required for HEDIS processing.

HSAG confirmed with WellCare staff that there were no backlogs or outages for the enrollment process during the measurement year. HSAG also confirmed that the assignment of member identification numbers was automatic in Xcelys, but that these identifiers were cross-checked prior to assignment to determine if an Xcelys identifier already existed. In the cases where a match was identified, the Member Services Department reviewed to determine if the member had an existing number or if a new number needed to be assigned.

HSAG verified that WellCare appropriately and clearly flagged the Planning for Healthy Babies® (P4HB®) population in Inovalon's measure calculation software so that this population was excluded from the final performance measure rates.

HSAG had no concerns with WellCare's enrollment data processes.

Provider Data

WellCare stored all provider data in Xcelys, following credentialing efforts. HSAG staff reviewed provider specialty assignments with WellCare and determined that all specialties were being accurately captured. Required data elements outlined in the HEDIS Roadmap were captured in Xcelys. There were no changes to WellCare's provider data processes, including how it captured provider data through its delegated entities.

HSAG reviewed providers listed under the federally qualified health centers (FQHCs) to determine if individual provider information was captured in Xcelys. HSAG found WellCare to be compliant with the credentialing and assignment of individual providers at the FQHCs.

HSAG had no concerns with WellCare's provider data processes.

Medical Record Review Process

WellCare was fully compliant with the MRR reporting requirements. WellCare contracted with Altegra Health, a medical record vendor, to procure and abstract MRR data into Altegra Health's custom measure tools. HSAG reviewed Altegra Health's tools and corresponding instructions. The vendor's reviewer qualifications, training, and oversight were appropriate. WellCare provided adequate oversight of its vendor. Due to challenging performance measures, a convenience sample was required and subsequently passed.

For each performance measure, HSAG reviewed numerator positive cases as identified by WellCare. MRR was also conducted for the *Antenatal Steroid* exclusions to ensure members were not inappropriately excluded from the measure. Additionally, HSAG reviewed numerator negative cases and exclusions for the *Cesarean Section for Nulliparous Singleton Vertex* and *Elective Delivery* measures. HSAG expanded the review for these two inverse measures due to the complexity of abstracting the measures.

The MRR findings and final results are presented below in Table 5. All performance measures for WellCare were approved for reporting.

Table 5—MRR Findings for WellCare of Georgia, Inc.

| Performance Measure | Initial Sample Size | Findings | Follow-Up | Final Results |
|--|---------------------|----------------------------|-----------|---------------|
| Care Transition—Timely Transmission of Transition Record | NA* | NA | NA | NA |
| Maternity Care—Behavioral Health Risk Assessment | 16 | No errors were identified. | NA | Approved |
| Developmental Screening in the First Three Years of Life | 13 | No errors were identified. | NA | Approved |

Table 5—MRR Findings for WellCare of Georgia, Inc.

| Performance Measure | Initial Sample Size | Findings | Follow-Up | Final Results |
|--|----------------------------|---|---|----------------------|
| Screening for Clinical Depression and Follow-up Plan | | | | |
| Numerator Positive | 2 | No errors were identified. | NA | Approved |
| Exclusions | 16 | No errors were identified. | NA | Approved |
| Cesarean Section for Nulliparous Singleton Vertex | | | | |
| Numerator Positive | NA* | NA | NA | NA |
| Numerator Negative | 8 | No errors were identified. | NA | Approved |
| Exclusions | 14 | Two errors were identified that should have been exclusions. | There were no additional cases to review. The two cases were removed from the exclusions and added back into the denominator. | Approved |
| Antenatal Steroids | | | | |
| Numerator Positive | 5 | Two errors were identified that should have been exclusions. | There were no additional cases to review. The two cases were removed from the exclusions and added back into the denominator. | Approved |
| Exclusions | 16 | No errors were identified. | NA | Approved |
| Elective Delivery | | | | |
| Numerator Positive | NA* | NA | NA | NA |
| Numerator Negative | 16 | Three errors were identified that should have been exclusions. Re-abstraction was conducted and a second sample was required. | An additional 16 cases were reviewed, and five errors were identified that should have been exclusions. However, since there were no numerator positive cases, this did not impact the actual rate, and the measure was approved. | Failed |
| Exclusions | 16 | Three errors were identified. A second sample was required. | Thirteen cases from the first sample were approved. Three cases from the second sample were approved. | Approved |

*The CMO did not have any numerator positive cases identified through MRR.

Supplemental Data

WellCare did not use any supplemental data for the production of the performance measures under review.

Data Integration

During 2014, WellCare transitioned its data warehouse platform to Green Plumb to achieve more efficient data extraction processes. The previous data warehouse often took several hours to run queries to pull data for WellCare's certified measure extractions. With the implementation of Green Plumb, WellCare noted that queries which previously took several days to run now took merely hours. This was a significant improvement in turnaround time for data extractions. HSAG reviewed WellCare's process for the implementation of Green Thumb and determined that other than changes to the platform, there were no differences from the previous data warehouse structure. WellCare did extensive testing to ensure all data were complete and accurate, and ran two parallel processes in the software to ensure the rates matched.

HSAG reviewed the source code for the measures under review. HSAG conducted primary source verification on several records selected for each of the required hybrid and administrative performance measures and did not identify any errors. HSAG reviewed records in Inovalon's software as well as the Xcelys (claims/member/provider) system to determine that all records were being mapped appropriately.

WellCare continued to use Inovalon's software to produce the final rates for the measures. As part of the final rate review, the auditors compared this year's rates to those from prior years, as well as to the other two CMOs' rates, to ensure reasonableness. HSAG reviewed WellCare's performance measure rates and found no anomalies.

HSAG had no concerns with WellCare's data integration processes.

Performance Measure Specific Findings

Based on all validation activities, HSAG determined validation results for each performance measure rate. HSAG provided an audit result for each performance measure consistent with the NCQA categories defined in Table 6. For detailed information, see Table 7 of this report.

Table 6—Audit Results and Definitions for Performance Measures

| | |
|----------------------------|--|
| Reportable (R) | The CMO followed the State's specifications and produced a reportable rate or result for the measure. |
| Not Reportable (NR) | The calculated rate was materially biased, the CMO chose not to report the measure, or the CMO was not required to report the measure. |
| Not Applicable (NA) | The CMO followed the State's specifications, but the denominator was too small (<30) to report a valid rate. |

According to the CMS protocol, the audit result for each performance measure is determined by the magnitude of the errors detected for the audit elements, not by the number of audit elements determined to be “Not Reportable.” It is possible for a single audit element to receive an audit result of “NR” when the impact of the error associated with that element biased the reported performance measure rate more than 5 percentage points. Conversely, it is also possible that several audit element errors may have little impact on the reported rate, leading to an audit result of “R.”

Table 7 shows the key review findings and final audit results for WellCare for each performance measure rate. For additional information regarding performance measure rates, see Appendix C of this report.

Table 7—Key Review Findings and Audit Results for WellCare of Georgia, Inc.

| Performance Measures | | Key Review Findings | Audit Results |
|-----------------------------|---|--|----------------------|
| 1. | Antenatal Steroids | WellCare initially had issues with identifying exclusions. The issues were resolved prior to the final rate reporting. | NR |
| 2. | Asthma in Younger Adults Admission Rate | No concerns were identified. | R |
| 3. | Care Transition—Timely Transmission of Transition Record | WellCare did not have any medical record cases to review. | R |
| 4. | Cesarean Delivery Rate | No concerns were identified. | R |
| 5. | Cesarean Section for Nulliparous Singleton Vertex | WellCare initially had issues with identifying exclusions. The issues were resolved prior to the final rate reporting. | NR |
| 6. | Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate | No concerns were identified. | R |

Table 7—Key Review Findings and Audit Results for WellCare of Georgia, Inc.

| Performance Measures | | Key Review Findings | Audit Results |
|----------------------|--|---|---------------|
| 7. | Developmental Screening in the First Three Years of Life | No concerns were identified. | R |
| 8. | Diabetes Short-Term Complications Admission Rate | No concerns were identified. | R |
| 9. | Elective Delivery | WellCare had issues with identifying exclusions for this measure. The exclusions were resolved prior to the final rate reporting. | NR |
| 10. | Heart Failure Admission Rate | No concerns were identified. | R |
| 11. | Live Births Weighing Less Than 2,500 Grams | No concerns were identified. | R |
| 12. | Maternity Care—Behavioral Health Risk Assessment | No concerns were identified. | R |
| 13. | Percentage of Eligibles that Received Dental Treatment Services | No concerns were identified. | R |
| 14. | Percentage of Eligibles that Received Preventive Dental Services | No concerns were identified. | R |
| 15. | Screening for Clinical Depression and Follow-up Plan | No concerns were identified. | R |

Three measures received the NR designation for the audit results: *Antenatal Steroids*, *Cesarean Section for Nulliparous Singleton Vertex*, and *Elective Delivery*. The CMO calculated these measures properly, and according to the CMS specifications. However, due to limitations with the CMS specifications, the eligible population could not be appropriately ascertained. The resulting rate, therefore, was considered biased and not representative of the population.

Appendix A. Data Integration and Control Findings

for WellCare of Georgia, Inc.

Documentation Worksheet

| | |
|----------------------------|---|
| CMO Name: | WellCare of Georgia, Inc. |
| On-Site Visit Date: | April 9–10, 2015 |
| Reviewers: | Allen Iovannisci, MS, CHCA; Mariyah Badani, JD, MBA, CHCA |

Table A-1—Data Integration and Control Findings for WellCare of Georgia, Inc.

| Data Integration and Control Element | Met | Not Met | N/A | Comments |
|---|-------------------------------------|--------------------------|--------------------------|--|
| Accuracy of data transfers to assigned performance measure data repository. | | | | |
| The CMO accurately and completely processes transfer data from the transaction files (e.g., membership, provider, encounter/claims) into the performance measure data repository used to keep the data until the calculations of the performance measure rates have been completed and validated. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Samples of data from the performance measure data repository are complete and accurate. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Accuracy of file consolidations, extracts, and derivations. | | | | |
| The CMO's processes to consolidate diversified files and to extract required information from the performance measure data repository are appropriate. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Actual results of file consolidations or extracts are consistent with those that should have resulted according to documented algorithms or specifications. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | WellCare used a vendor for performance measure generation and rate calculation. No issues were identified with the source code or primary source verification. |
| Procedures for coordinating the activities of multiple subcontractors ensure the accurate, timely, and complete integration of data into the performance measure database. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Computer program reports or documentation reflect vendor coordination activities, and no data necessary for performance measure reporting are lost or inappropriately modified during transfer. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Table A-1—Data Integration and Control Findings for WellCare of Georgia, Inc.

| Data Integration and Control Element | Met | Not Met | N/A | Comments |
|---|-------------------------------------|--------------------------|--------------------------|---|
| If the CMO uses a performance measure data repository, its structure and format facilitates any required programming necessary to calculate and report required performance measure rates. | | | | |
| The performance measure data repository's design, program flow charts, and source codes enable analyses and reports. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Proper linkage mechanisms are employed to join data from all necessary sources (e.g., identifying a member with a given disease/condition). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Assurance of effective management of report production and of the reporting software. | | | | |
| Documentation governing the production process, including CMO production activity logs and the CMO staff review of report runs, is adequate. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Prescribed data cutoff dates are followed. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| The CMO retains copies of files or databases used for performance measure reporting in case results need to be reproduced. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| The reporting software program is properly documented with respect to every aspect of the performance measure data repository, including building, maintaining, managing, testing, and report production. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | WellCare used a software vendor to produce the measures under review. HSAG conducted source code review and primary source verification. No concerns were identified. |
| The CMO's processes and documentation comply with the CMO standards associated with reporting program specifications, code review, and testing. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Appendix B. Denominator and Numerator Validation Findings for WellCare of Georgia, Inc.

Reviewer Worksheets

| | |
|----------------------------|---|
| CMO Name: | WellCare of Georgia, Inc. |
| On-Site Visit Date: | April 9–10, 2015 |
| Reviewers: | Allen Iovannisci, MS, CHCA; Mariyah Badani, JD, MBA, CHCA |

Table B-1—Denominator Validation Findings for WellCare of Georgia, Inc.

| Audit Element | Met | Not Met | N/A | Comments |
|--|-------------------------------------|--------------------------|-------------------------------------|--|
| For each of the performance measures, all members of the relevant populations identified in the performance measure specifications are included in the population from which the denominator is produced. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Source code review with Inovalon was conducted via multiple webinar sessions. Primary source verification confirmed that all eligible populations were included based on the performance measure specifications. |
| Adequate programming logic or source code exists to appropriately identify all relevant members of the specified denominator population for each of the performance measures. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| The CMO correctly calculates member months and member years if applicable to the performance measure. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| The CMO properly evaluates the completeness and accuracy of any codes used to identify medical events, such as diagnoses, procedures, or prescriptions, and these codes are appropriately identified and applied as specified in each performance measure. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| If any time parameters are required by the specifications of the performance measure, they are followed (e.g., cutoff dates for data collection, counting 30 calendar days after discharge from a hospital). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Exclusion criteria included in the performance measure specifications are followed. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Some issues were noted for exclusion criteria during the MRR process. These items were corrected prior to the final rate reporting. |
| Systems or methods used by the CMO to estimate populations when they cannot be accurately or completely counted (e.g., newborns) are valid. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Population estimates were not necessary for the performance measures under the scope of the audit. |

Table B-2—Numerator Validation Findings for WellCare of Georgia, Inc.

| Audit Element | Met | Not Met | N/A | Comments |
|---|-------------------------------------|--------------------------|-------------------------------------|--|
| The CMO uses the appropriate data, including linked data from separate data sets, to identify the entire at-risk population. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Qualifying medical events (such as diagnoses, procedures, prescriptions, etc.) are properly identified and confirmed for inclusion in terms of time and services. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| The CMO avoids or eliminates all double-counted members or numerator events. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Any nonstandard codes used in determining the numerator are mapped to a standard coding scheme in a manner that is consistent, complete, and reproducible, as evidenced by a review of the programming logic or a demonstration of the program. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Nonstandard codes were not used or reported. |
| If any time parameters are required by the specifications of the performance measure, they are followed (i.e., the measured event occurred during the time period specified or defined in the performance measure). | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |



Appendix C. Performance Measure Rate Submission File for WellCare of Georgia, Inc.

Appendix C contains WellCare of Georgia, Inc.'s final audited performance measure rate submission file.

**State Fiscal Year (SFY) 2015 Performance Measure Rate Reporting Template
for
Georgia Care Management Organizations (CMOs)**

| | |
|--------------------------------|--|
| Date of Submission: | 6/11/2015 |
| CMO Name: | WellCare of Georgia, Inc. |
| Contact Name and Title: | Marianne Thomas, Sr. Director, Quality Improvement |
| Contact E-mail Address: | marianne.thomas@wellcare.com |
| Comments: | |

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Audit Review Table - To Be Completed by Auditor | | | |
|---|---|--------------|-------------|
| Measure # | Measure/Data Element | Audit Status | Comment |
| 1 | Antenatal Steroids (PC03-AD) | NR* | Approved. * |
| 2 | Asthma in Younger Adults Admission Rate (PQI15-AD) | R | Approved. |
| 3 | Care Transition - Timely Transmission of Transition Record (CTR-AD) | R | Approved. |
| 4 | Cesarean Delivery Rate (IQI-21) | R | Approved. |
| 5 | Cesarean Section for Nulliparous Singleton Vertex (PC02-CH) | NR* | Approved. * |
| 6 | Chronic Obstructive Pulmonary Disease (COPD) and Asthma in Older Adults Admission Rate (PQI05-AD) | R | Approved. |
| 7 | Developmental Screening in the First Three Years of Life (DEV-CH) | R | Approved. |
| 8 | Diabetes Short-Term Complications Admission Rate (PQI01-AD) | R | Approved. |
| 9 | Elective Delivery (PC01-AD) | NR* | Approved. * |
| 10 | Heart Failure Admission Rate (PQI08-AD) | R | Approved. |
| 11 | Live Births Weighing Less Than 2,500 Grams (LBW-CH) | R | Approved. |
| 12 | Maternity Care - Behavioral Health Risk Assessment (BHRA-CH) | R | Approved. |
| 13 | Percentage of Eligibles Who Received Dental Treatment Services (TDENT-CH) | R | Approved. |
| 14 | Percentage of Eligibles Who Received Preventive Dental Services (PDENT-CH) | R | Approved. |
| 15 | Screening for Clinical Depression and Follow-up Plan (CDF-AD) | R | Approved. |

*Three measures received the NR designation for the audit results: Antenatal Steroids, Cesarean Section for Nulliparous Singleton Vertex, and Elective Delivery. The CMO calculated these measures properly, and according to the CMS specifications. However, due to limitations with the CMS specifications, the eligible population could not be appropriately ascertained. The resulting rate, therefore, was considered biased and not representative of the population.

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Antenatal Steroids (PC03-AD) | |
|---|----------------------|
| Data Element | General Measure Data |
| Reporting Year | SFY 2015 |
| Measurement Period | CY 2014 |
| Data Collection Methodology | H |
| Denominator | 134 |
| Numerator Events by Administrative Data | 0 |
| Numerator Events by Medical Records | 5 |
| Numerator Total | 5 |
| Reported Rate | 3.73% |
| Lower 95% confidence interval | 0.15% |
| Upper 95% confidence interval | 7.31% |

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Asthma in Younger Adults Admission Rate (PQI15-AD) | |
|--|----------------------|
| Data Element | General Measure Data |
| Reporting Year | SFY 2015 |
| Measurement Period | 2014 |
| Data Collection Methodology | A |
| Eligible Population (Total Member Months) | 905036 |
| Numerator Events by Administrative Data | 50 |
| Reported Rate (Per 100,000 Member Months) | 5.5246 |

Note: Report this rate for ages 18-39 only

Appendix C: Department of Community Health, State of Georgia
 Validated CY 2014 Performance Measures for WellCare

Care Transition—Timely Transmission of Transition Record (CTR-AD)
[Previously "Care Transition - Transition Record Transmitted to Health Care Professional"]

| Reporting Age Group | Ages 18-64 | Ages 65+ | All Ages |
|---|--------------|-----------|--------------|
| Reporting Year | SFY 2015 | SFY 2015 | SFY 2015 |
| Measurement Period | CY 2014 | CY 2014 | CY 2014 |
| Data Collection Methodology | H | H | H |
| Eligible Population | 43,559 | 42 | 43,601 |
| Denominator | 432 | 0 | 432 |
| Numerator Events by Administrative Data | 0 | 0 | 0 |
| Numerator Events by Medical Records | 0 | 0 | 0 |
| Numerator Total | 0 | 0 | 0 |
| Reported Rate | 0.00% | NA | 0.00% |
| Lower 95% confidence interval | 0.00% | NA | 0.00% |
| Upper 95% confidence interval | 0.12% | NA | 0.12% |

*CMS only requires to report 18-64 and 65+.

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Cesarean Delivery Rate (IQI-21) | |
|---|----------------------|
| Data Element | General Measure Data |
| Reporting Year | SFY 2015 |
| Measurement Period | CY 2014 |
| Data Collection Methodology | A |
| Eligible Population | 24671 |
| Numerator Events by Administrative Data | 7335 |
| Reported Rate | 29.73% |

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Cesarean Section for Nulliparous Singleton Vertex (PC02-CH) | |
|---|----------------------|
| Data Element | General Measure Data |
| Reporting Year | SFY 2015 |
| Measurement Period | CY 2014 |
| Data Collection Methodology | H |
| Denominator | 224 |
| Numerator Events by Administrative Data | 68 |
| Numerator Events by Medical Records | 0 |
| Numerator Total | 68 |
| Reported Rate | 30.36% |
| Lower 95% confidence interval | 24.11% |
| Upper 95% confidence interval | 36.60% |

Appendix C: Department of Community Health, State of Georgia
 Validated CY 2014 Performance Measures for WellCare

| Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate (PQI05-AD) | | | | |
|---|----------------------|------------|----------|----------|
| Data Element | General Measure Data | Ages 40-64 | Ages 65+ | All Ages |
| Reporting Year | SFY 2015 | | | |
| Measurement Period | CY 2014 | | | |
| Data Collection Methodology | A | | | |
| Eligible Population (Total Member Months) | | 146255 | 102 | 146357 |
| Numerator Events by Administrative Data | | 60 | 0 | 60 |
| Reported Rate (Per 100,000 Member Months) | | 41.02 | 0.00 | 41.00 |

*CMS requires to report 40-64 and 65+ only.

Appendix C: Department of Community Health, State of Georgia
 Validated CY 2014 Performance Measures for WellCare

| Developmental Screening in the First Three Years of Life (DEV-CH) | | | | | |
|---|----------------------|--------|--------|--------|------------------|
| Data Element | General Measure Data | Age 1 | Age 2 | Age 3 | Total (Ages 1-3) |
| Reporting Year | SFY 2015 | | | | |
| Measurement Period | CY 2014 | | | | |
| Data Collection Methodology | H | | | | |
| Eligible Population | | 29,473 | 14,128 | 20,224 | 63,825 |
| Denominator | | 144 | 144 | 144 | 432 |
| Numerator Events by Administrative Data | | 60 | 63 | 58 | 181 |
| Numerator Events by Medical Records | | 6 | 6 | 1 | 13 |
| Numerator Total | | 66 | 69 | 59 | 194 |
| Reported Rate | | 45.83% | 47.92% | 40.97% | 44.91% |
| Lower 95% confidence interval | | 37.35% | 39.41% | 32.59% | 40.10% |
| Upper 95% confidence interval | | 54.32% | 56.42% | 49.35% | 49.71% |

Appendix C: Department of Community Health, State of Georgia
 Validated CY 2014 Performance Measures for WellCare

| Diabetes Short-Term Complications Admission Rate (PQI01-AD) | | | | |
|---|----------------------|------------|----------|----------|
| Data Element | General Measure Data | Ages 18-64 | Ages 65+ | All Ages |
| Reporting Year | SFY 2015 | | | |
| Measurement Period | CY 2014 | | | |
| Data Collection Methodology | A | | | |
| Eligible Population (Total Member Months) | | 1051291 | 102 | 1051393 |
| Numerator Events by Administrative Data | | 193 | 0 | 193 |
| Reported Rate (Per 100,000 Member Months) | | 18.36 | 0.00 | 18.36 |

*CMS requires to report 18-64 and 65+ only.

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Elective Delivery (PC01-AD) | |
|---|----------------------|
| Data Element | General Measure Data |
| Reporting Year | SFY 2015 |
| Measurement Period | CY 2014 |
| Data Collection Methodology | H |
| Denominator | 165 |
| Numerator Events by Administrative Data | 32 |
| Numerator Events by Medical Records | 8 |
| Numerator Total | 40 |
| Reported Rate | 24.24% |
| Lower 95% confidence interval | 17.40% |
| Upper 95% confidence interval | 31.08% |

Appendix C: Department of Community Health, State of Georgia
 Validated CY 2014 Performance Measures for WellCare

| Heart Failure Admission Rate (PQI01-AD) <i>[Previously "Congestive Heart Failure Admission Rate"]</i> | | | | |
|--|----------------------|------------|----------|----------|
| Data Element | General Measure Data | Ages 18-64 | Ages 65+ | All Ages |
| Reporting Year | SFY 2015 | | | |
| Measurement Period | CY 2014 | | | |
| Data Collection Methodology | A | | | |
| Eligible Population (Total Member Months) | | 1051291 | 102 | 1051393 |
| Numerator Events by Administrative Data | | 45 | 0 | 45 |
| Reported Rate (Per 100,000 Member Months) | | 4.28 | 0.00 | 4.28 |

*CMS requires to report 18-64 and 65+ only.

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Percentage of Live Births Weighing Less Than 2,500 Grams (LBW-CH) | |
|---|----------------------|
| Data Element | General Measure Data |
| Reporting Year | SFY 2015 |
| Measurement Period | CY 2014 |
| Data Collection Methodology | A |
| Eligible Population | 25062 |
| Numerator Events by Administrative Data | 2309 |
| Reported Rate | 9.21% |
| Lower 95% confidence interval | 8.85% |
| Upper 95% confidence interval | 9.57% |

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Maternity Care - Behavioral Health Risk Assessment (BHRA-CH) <i>[Previously "Behavioral Health Risk Assessment for Pregnant Women"]</i> | |
|--|----------------------|
| Data Element | General Measure Data |
| Reporting Year | SFY 2015 |
| Measurement Period | CY 2014 |
| Data Collection Methodology | H |
| Eligible Population | 24,925 |
| Denominator | 432 |
| Numerator Events by Administrative Data | 43 |
| Numerator Events by Medical Records | 0 |
| Numerator Total | 43 |
| Reported Rate | 9.95% |
| Lower 95% confidence interval | 7.01% |
| Upper 95% confidence interval | 12.89% |

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Percentage of Eligibles that Received Dental Treatment Services (TDENT-CH) | |
|--|---------------------------------|
| Data Element | General Measure Data |
| Reporting Year | SFY 2015 |
| Measurement Period | Federal Fiscal Year (FFY) 2014* |
| Data Collection Methodology | A |
| Eligible Population | 565340 |
| Numerator Events by Administrative Data | 123045 |
| Reported Rate | 21.76% |
| Lower 95% confidence interval | 21.66% |
| Upper 95% confidence interval | 21.87% |

*FFY covers the time frame of October 1 through September 30.

Appendix C: Department of Community Health, State of Georgia
 Validated CY 2014 Performance Measures for WellCare

| Percentage of Eligibles that Received Preventive Dental Services (PDENT-CH) | |
|--|------------------------------------|
| Data Element | General Measure Data |
| Reporting Year | SFY 2015 |
| Measurement Period | Federal Fiscal Year (FFY) 2014* |
| Data Collection Methodology | A |
| Eligible Population | 565340 |
| Numerator Events by Administrative Data | 282299 |
| Reported Rate | 49.93% |
| Lower 95% confidence interval | 49.80% |
| Upper 95% confidence interval | 50.06% |

*FFY covers the time frame of October 1 through September 30.

Appendix C: Department of Community Health, State of Georgia
Validated CY 2014 Performance Measures for WellCare

| Screening for Clinical Depression and Follow-up Plan (CDF-AD) | | | |
|---|------------|----------|----------|
| Reporting Age Group | Ages 18-64 | Ages 65+ | All Ages |
| Reporting Year | SFY 2015 | SFY 2015 | SFY 2015 |
| Measurement Period | CY 2014 | CY 2014 | CY 2014 |
| Data Collection Methodology | H | H | H |
| Eligible Population | 95,994 | 74 | 96,068 |
| Exclusions | 23 | 23 | 23 |
| Denominator | 409 | 0 | 409 |
| Numerator Events by Administrative Data | 0 | 0 | 0 |
| Numerator Events by Medical Records | 2 | 0 | 2 |
| Numerator Total | 2 | 0 | 2 |
| Reported Rate | 0.49% | NA | 0.49% |
| Lower 95% confidence interval | 0.00% | NA | 0.00% |
| Upper 95% confidence interval | 1.29% | NA | 1.29% |

*CMS requires to report 18-64 and 65+ only.



Appendix D. HEDIS Interactive Data Submission System Data for WellCare of Georgia, Inc.

Appendix D contains WellCare of Georgia, Inc.'s reported IDSS data from its NCQA HEDIS Compliance Audit.

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Audit Review Table | | | | | | |
|---|----------------|-----------------|-----------------|--------|------------|------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2014 | | | | | | |
| The Auditor lock has been applied to this submission. | | | | | | |
| Measure/Data Element | Report Measure | Benefit Offered | Rotated Measure | Rate | Reportable | Comment |
| Effectiveness of Care: Prevention and | | | | | | |
| Adult BMI Assessment (aba) | Y | | N | 79.94% | R | Reportable |
| Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wcc) | Y | | N | | | |
| <i>BMI Percentile</i> | | | | 63.43% | R | Reportable |
| <i>Counseling for Nutrition</i> | | | | 59.49% | R | Reportable |
| <i>Counseling for Physical Activity</i> | | | | 54.63% | R | Reportable |
| Childhood Immunization Status (cis) | Y | | N | | | |
| <i>DTaP</i> | | | | 88.19% | R | Reportable |
| <i>IPV</i> | | | | 95.60% | R | Reportable |
| <i>MMR</i> | | | | 95.83% | R | Reportable |
| <i>HiB</i> | | | | 95.83% | R | Reportable |
| <i>Hepatitis B</i> | | | | 96.53% | R | Reportable |
| <i>VZV</i> | | | | 96.53% | R | Reportable |
| <i>Pneumococcal Conjugate</i> | | | | 89.58% | R | Reportable |
| <i>Hepatitis A</i> | | | | 95.37% | R | Reportable |
| <i>Rotavirus</i> | | | | 75.69% | R | Reportable |
| <i>Influenza</i> | | | | 46.30% | R | Reportable |
| <i>Combination #2</i> | | | | 86.57% | R | Reportable |
| <i>Combination #3</i> | | | | 84.03% | R | Reportable |
| <i>Combination #4</i> | | | | 83.10% | R | Reportable |
| <i>Combination #5</i> | | | | 70.37% | R | Reportable |
| <i>Combination #6</i> | | | | 43.06% | R | Reportable |
| <i>Combination #7</i> | | | | 69.68% | R | Reportable |
| <i>Combination #8</i> | | | | 43.06% | R | Reportable |
| <i>Combination #9</i> | | | | 38.66% | R | Reportable |
| <i>Combination #10</i> | | | | 38.66% | R | Reportable |
| Immunizations for Adolescents (ima) | Y | | N | | | |
| <i>Meningococcal</i> | | | | 76.92% | R | Reportable |
| <i>Tdap/Td</i> | | | | 84.62% | R | Reportable |
| <i>Combination #1</i> | | | | 76.33% | R | Reportable |
| Human Papillomavirus Vaccine for Female Adolescents (hpv) | Y | | | 20.37% | R | Reportable |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Audit Review Table | | | | | | |
|---|----------------|-----------------|-----------------|--------|------------|---------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2014 | | | | | | |
| The Auditor lock has been applied to this submission. | | | | | | |
| Measure/Data Element | Report Measure | Benefit Offered | Rotated Measure | Rate | Reportable | Comment |
| Lead Screening in Children (lsc) | Y | | N | 81.35% | R | Reportable |
| Breast Cancer Screening (bcs) | Y | | | 72.17% | R | Reportable |
| Cervical Cancer Screening (ccs) | Y | | | 74.56% | R | Reportable |
| Non-Recommended Cervical Cancer Screening in Adolescent Females (ncs) | Y | | | 5.29% | R | Reportable |
| Chlamydia Screening in Women (chl) | Y | | | | | |
| 16-20 Years | | | | 47.42% | R | Reportable |
| 21-24 Years | | | | 60.81% | R | Reportable |
| Total | | | | 50.26% | R | Reportable |
| Effectiveness of Care: Respiratory | | | | | | |
| Appropriate Testing for Children with Pharyngitis (cwp) | Y | Y | | 79.09% | R | Reportable |
| Appropriate Treatment for Children With URI (uri) | Y | Y | | 82.81% | R | Reportable |
| Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab) | Y | Y | | 21.18% | R | Reportable |
| Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr) | Y | | | 37.14% | R | Reportable |
| Pharmacotherapy Management of COPD Exacerbation (pce) | Y | Y | | | | |
| Systemic Corticosteroid | | | | 73.61% | R | Reportable |
| Bronchodilator | | | | 84.72% | R | Reportable |
| Use of Appropriate Medications for People With Asthma (asm) | Y | Y | | | | |
| 5-11 Years | | | | 91.95% | R | Reportable |
| 12-18 Years | | | | 88.52% | R | Reportable |
| 19-50 Years | | | | 71.55% | R | Reportable |
| 51-64 Years | | | | NA | R | Denominator fewer than 30 |
| Total | | | | 89.67% | R | Reportable |
| Medication Management for People With Asthma (mma) | Y | Y | | | | |
| 5-11 Years - Medication Compliance 50% | | | | 45.62% | R | Reportable |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Audit Review Table | | | | | | |
|---|----------------|-----------------|-----------------|--------|------------|---------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2014 | | | | | | |
| The Auditor lock has been applied to this submission. | | | | | | |
| Measure/Data Element | Report Measure | Benefit Offered | Rotated Measure | Rate | Reportable | Comment |
| 5-11 Years - Medication Compliance 75% | | | | 21.93% | R | Reportable |
| 12-18 Years - Medication Compliance 50% | | | | 42.00% | R | Reportable |
| 12-18 Years - Medication Compliance 75% | | | | 18.25% | R | Reportable |
| 19-50 Years - Medication Compliance 50% | | | | 57.79% | R | Reportable |
| 19-50 Years - Medication Compliance 75% | | | | 33.61% | R | Reportable |
| 51-64 Years - Medication Compliance 50% | | | | NA | R | Denominator fewer than 30 |
| 51-64 Years - Medication Compliance 75% | | | | NA | R | Denominator fewer than 30 |
| Total - Medication Compliance 50% | | | | 44.91% | R | Reportable |
| Total - Medication Compliance 75% | | | | 21.17% | R | Reportable |
| Asthma Medication Ratio (amr) | Y | Y | | | | |
| 5-11 Years | | | | 76.39% | R | Reportable |
| 12-18 Years | | | | 67.19% | R | Reportable |
| 19-50 Years | | | | 50.00% | R | Reportable |
| 51-64 Years | | | | NA | R | Denominator fewer than 30 |
| Total | | | | 71.68% | R | Reportable |
| Effectiveness of Care: Cardiovascular | | | | | | |
| Controlling High Blood Pressure (cbp) | Y | | | 43.24% | R | Reportable |
| Persistence of Beta-Blocker Treatment After a Heart Attack (pbh) | Y | Y | | NA | R | Denominator fewer than 30 |
| Effectiveness of Care: Diabetes | | | | | | |
| Comprehensive Diabetes Care (cdc) | Y | | N | | | |
| Hemoglobin A1c (HbA1c) Testing | | | | 83.19% | R | Reportable |
| HbA1c Poor Control (>9.0%) | | | | 48.75% | R | Reportable |
| HbA1c Control (<8.0%) | | | | 43.26% | R | Reportable |
| HbA1c Control (<7.0%) | | | | 32.43% | R | Reportable |
| Eye Exam (Retinal) Performed | | | | 35.44% | R | Reportable |
| Medical Attention for Nephropathy | | | | 76.71% | R | Reportable |
| Blood Pressure Control (<140/90 mm Hg) | | | | 55.74% | R | Reportable |
| Effectiveness of Care: Musculoskeletal | | | | | | |
| Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (art) | Y | Y | | 68.32% | R | Reportable |
| Use of Imaging Studies for Low Back Pain (lbp) | Y | | | 75.43% | R | Reportable |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Audit Review Table | | | | | | |
|---|----------------|-----------------|-----------------|--------|------------|---------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2014 | | | | | | |
| The Auditor lock has been applied to this submission. | | | | | | |
| Measure/Data Element | Report Measure | Benefit Offered | Rotated Measure | Rate | Reportable | Comment |
| Effectiveness of Care: Behavioral | | | | | | |
| Antidepressant Medication Management (amm) | Y | Y | | | | |
| <i>Effective Acute Phase Treatment</i> | | | | 46.92% | R | Reportable |
| <i>Effective Continuation Phase Treatment</i> | | | | 30.37% | R | Reportable |
| Follow-Up Care for Children Prescribed ADHD Medication (add) | Y | Y | | | | |
| <i>Initiation Phase</i> | | | | 48.92% | R | Reportable |
| <i>Continuation and Maintenance (C&M) Phase</i> | | | | 63.78% | R | Reportable |
| Follow-Up After Hospitalization for Mental Illness (fuh) | Y | Y | | | | |
| <i>30-Day Follow-Up</i> | | | | 69.72% | R | Reportable |
| <i>7-Day Follow-Up</i> | | | | 50.77% | R | Reportable |
| Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (ssd) | Y | Y | | 83.15% | R | Reportable |
| Diabetes Monitoring for People With Diabetes and Schizophrenia (smd) | Y | | | 75.00% | R | Reportable |
| Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (smc) | Y | | | NA | R | Denominator fewer than 30 |
| Adherence to Antipsychotic Medications for Individuals With Schizophrenia (saa) | Y | Y | | 33.85% | R | Reportable |
| Use of Multiple Concurrent Antipsychotics in Children and Adolescents (apc) | Y | Y | | | | |
| <i>1-5 Years</i> | | | | 0.00% | R | Reportable |
| <i>6-11 Years</i> | | | | 1.01% | R | Reportable |
| <i>12-17 Years</i> | | | | 3.23% | R | Reportable |
| <i>Total</i> | | | | 2.19% | R | Reportable |
| Metabolic Monitoring for Children and Adolescents on Antipsychotics (apm) | Y | Y | | | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Audit Review Table | | | | | | |
|---|----------------|-----------------|-----------------|--------|------------|---------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2014 | | | | | | |
| The Auditor lock has been applied to this submission. | | | | | | |
| Measure/Data Element | Report Measure | Benefit Offered | Rotated Measure | Rate | Reportable | Comment |
| 1-5 Years | | | | 15.52% | R | Reportable |
| 6-11 Years | | | | 18.85% | R | Reportable |
| 12-17 Years | | | | 27.84% | R | Reportable |
| Total | | | | 23.80% | R | Reportable |
| Effectiveness of Care: Medication | | | | | | |
| Annual Monitoring for Patients on Persistent Medications (mpm) | Y | Y | | | | |
| ACE Inhibitors or ARBs | | | | 86.72% | R | Reportable |
| Digoxin | | | | NA | R | Denominator fewer than 30 |
| Diuretics | | | | 87.27% | R | Reportable |
| Total | | | | 86.86% | R | Reportable |
| Access/Availability of Care | | | | | | |
| Adults' Access to Preventive/Ambulatory Health Services (aap) | Y | | | | | |
| 20-44 Years | | | | 81.76% | R | Reportable |
| 45-64 Years | | | | 89.72% | R | Reportable |
| 65+ Years | | | | NA | R | Denominator fewer than 30 |
| Total | | | | 82.76% | R | Reportable |
| Children and Adolescents' Access to Primary Care Practitioners (cap) | Y | | | | | |
| 12-24 Months | | | | 97.51% | R | Reportable |
| 25 Months - 6 Years | | | | 91.23% | R | Reportable |
| 7-11 Years | | | | 92.61% | R | Reportable |
| 12-19 Years | | | | 90.35% | R | Reportable |
| Annual Dental Visit (adv) | Y | Y | | | | |
| 2-3 Years | | | | 46.94% | R | Reportable |
| 4-6 Years | | | | 72.25% | R | Reportable |
| 7-10 Years | | | | 75.14% | R | Reportable |
| 11-14 Years | | | | 69.30% | R | Reportable |
| 15-18 Years | | | | 58.65% | R | Reportable |
| 19-21 Years | | | | 31.96% | R | Reportable |
| Total | | | | 66.64% | R | Reportable |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Audit Review Table | | | | | | |
|---|----------------|-----------------|-----------------|--------|------------|------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2014 | | | | | | |
| The Auditor lock has been applied to this submission. | | | | | | |
| Measure/Data Element | Report Measure | Benefit Offered | Rotated Measure | Rate | Reportable | Comment |
| Initiation and Engagement of AOD Dependence Treatment (iet) | Y | Y | | | | |
| <i>Initiation of AOD Treatment: 13-17 Years</i> | | | | 38.99% | R | Reportable |
| <i>Engagement of AOD Treatment: 13-17 Years</i> | | | | 12.03% | R | Reportable |
| <i>Initiation of AOD Treatment: 18+ Years</i> | | | | 30.76% | R | Reportable |
| <i>Engagement of AOD Treatment: 18+ Years</i> | | | | 5.83% | R | Reportable |
| <i>Initiation of AOD Treatment: Total</i> | | | | 32.34% | R | Reportable |
| <i>Engagement of AOD Treatment: Total</i> | | | | 7.02% | R | Reportable |
| Prenatal and Postpartum Care (ppc) | Y | | | | | |
| <i>Timeliness of Prenatal Care</i> | | | | 81.27% | R | Reportable |
| <i>Postpartum Care</i> | | | | 64.56% | R | Reportable |
| Call Answer Timeliness (cat) | Y | | | 84.77% | R | Reportable |
| Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (app) | Y | Y | | | | |
| <i>1-5 Years</i> | | | | 53.85% | R | Reportable |
| <i>6-11 Years</i> | | | | 57.46% | R | Reportable |
| <i>12-17 Years</i> | | | | 56.90% | R | Reportable |
| <i>Total</i> | | | | 57.04% | R | Reportable |
| Utilization | | | | | | |
| Frequency of Ongoing Prenatal Care (fpc) | Y | | | | | |
| <i><21 Percent</i> | | | | 13.92% | R | Reportable |
| <i>21-40 Percent</i> | | | | 7.34% | R | Reportable |
| <i>41-60 Percent</i> | | | | 5.82% | R | Reportable |
| <i>61-80 Percent</i> | | | | 14.43% | R | Reportable |
| <i>81+ Percent</i> | | | | 58.48% | R | Reportable |
| Well-Child Visits in the First 15 Months of Life (w15) | Y | | N | | | |
| <i>0 Visits</i> | | | | 0.53% | R | Reportable |
| <i>1 Visit</i> | | | | 1.06% | R | Reportable |
| <i>2 Visits</i> | | | | 3.44% | R | Reportable |
| <i>3 Visits</i> | | | | 3.97% | R | Reportable |
| <i>4 Visits</i> | | | | 9.26% | R | Reportable |
| <i>5 Visits</i> | | | | 14.81% | R | Reportable |
| <i>6+ Visits</i> | | | | 66.93% | R | Reportable |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Audit Review Table | | | | | | |
|---|----------------|-----------------|-----------------|--------|------------|--------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2014 | | | | | | |
| The Auditor lock has been applied to this submission. | | | | | | |
| Measure/Data Element | Report Measure | Benefit Offered | Rotated Measure | Rate | Reportable | Comment |
| Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34) | Y | | N | 66.93% | R | Reportable |
| Adolescent Well-Care Visits (awc) | Y | | N | 49.54% | R | Reportable |
| Frequency of Selected Procedures (fsp) | Y | | | | R | Reportable |
| Ambulatory Care: Total (amba) | Y | | | | R | Reportable |
| Ambulatory Care: Dual Eligibles (ambb) | N | | | | NR | Measure Unselected |
| Ambulatory Care: Disabled (ambc) | N | | | | NR | Measure Unselected |
| Ambulatory Care: Other (ambd) | N | | | | NR | Measure Unselected |
| Inpatient Utilization--General Hospital/Acute Care: Total (ipua) | Y | | | | R | Reportable |
| Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub) | N | | | | NR | Measure Unselected |
| Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc) | N | | | | NR | Measure Unselected |
| Inpatient Utilization--General Hospital/Acute Care: Other (ipud) | N | | | | NR | Measure Unselected |
| Identification of Alcohol and Other Drug Services: Total (iada) | Y | Y | | | R | Reportable |
| Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb) | N | N | | | NR | Measure Unselected |
| Identification of Alcohol and Other Drug Services: Disabled (iadc) | N | N | | | NR | Measure Unselected |
| Identification of Alcohol and Other Drug Services: Other (iadd) | N | N | | | NR | Measure Unselected |
| Mental Health Utilization: Total (mpta) | Y | Y | | | R | Reportable |
| Mental Health Utilization: Dual Eligibles (mptb) | N | N | | | NR | Measure Unselected |
| Mental Health Utilization: Disabled (mptc) | N | N | | | NR | Measure Unselected |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Audit Review Table | | | | | | |
|---|----------------|-----------------|-----------------|------|------------|--------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2014 | | | | | | |
| The Auditor lock has been applied to this submission. | | | | | | |
| Measure/Data Element | Report Measure | Benefit Offered | Rotated Measure | Rate | Reportable | Comment |
| Mental Health Utilization: Other (mptd) | N | N | | | NR | Measure Unselected |
| Antibiotic Utilization: Total (abxa) | Y | Y | | | R | Reportable |
| Antibiotic Utilization: Dual Eligibles (abxb) | N | N | | | NR | Measure Unselected |
| Antibiotic Utilization: Disabled (abxc) | N | N | | | NR | Measure Unselected |
| Antibiotic Utilization: Other (abxd) | N | N | | | NR | Measure Unselected |
| Relative Resource Use | | | | | | |
| Relative Resource Use for People With Diabetes (rdi) | Y | | | | R | Reportable |
| Relative Resource Use for People With Asthma (ras) | Y | Y | | | R | Reportable |
| Relative Resource Use for People With Cardiovascular Conditions (rca) | Y | | | | R | Reportable |
| Relative Resource Use for People With Hypertension (rhy) | Y | | | | R | Reportable |
| Relative Resource Use for People With COPD (rco) | Y | | | | R | Reportable |
| Health Plan Descriptive | | | | | | |
| Board Certification (bcr) | Y | | | | R | Reportable |
| Total Membership (tlm) | Y | | | | R | Reportable |
| Enrollment by Product Line: Total (enpa) | Y | | | | R | Reportable |
| Enrollment by Product Line: Dual Eligibles (enpb) | N | | | | NR | Measure Unselected |
| Enrollment by Product Line: Disabled (enpc) | N | | | | NR | Measure Unselected |
| Enrollment by Product Line: Other (enpd) | N | | | | NR | Measure Unselected |
| Enrollment by State (ebs) | Y | | | | R | Reportable |
| Race/Ethnicity Diversity of Membership (rdm) | Y | | | | R | Reportable |
| Language Diversity of Membership (ldm) | Y | | | | R | Reportable |
| Weeks of Pregnancy at Time of Enrollment (wop) | Y | | | | R | Reportable |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Adult BMI Assessment (ABA) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative or hybrid) | H |
| Eligible population | 15549 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 3425 |
| Current year's administrative rate (before exclusions) | 22.03% |
| Minimum required sample size (MRSS) or other sample size | 313 |
| Oversampling rate | 0.05 |
| Final sample size (FSS) | 329 |
| Number of numerator events by administrative data in FSS | 85 |
| Administrative rate on FSS | 25.84% |
| Number of original sample records excluded because of valid data errors | 0 |
| Number of administrative data records excluded | 0 |
| Number of medical records excluded | 0 |
| Number of employee/dependent medical records excluded | 0 |
| Records added from the oversample list | 0 |
| Denominator | 329 |
| Numerator events by administrative data | 89 |
| Numerator events by medical records | 174 |
| Reported rate | 79.94% |
| Lower 95% confidence interval | 75.46% |
| Upper 95% confidence interval | 84.42% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC) | | | | | | | | | |
|---|----------------|-------------|---------|--------------------------|-------------|---------|----------------------------------|-------------|---------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | |
| Data Element | BMI Percentile | | | Counseling for Nutrition | | | Counseling for Physical Activity | | |
| | 3-11 years | 12-17 years | Total | 3-11 years | 12-17 years | Total | 3-11 years | 12-17 years | Total |
| Measurement year | 2014 | | | 2014 | | | 2014 | | |
| Data collection methodology (administrative or hybrid) | H | | | H | | | H | | |
| Eligible population | 166170 | 78842 | 245,012 | 166170 | 78842 | 245,012 | 166170 | 78842 | 245,012 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 56697 | 25467 | 82,164 | 36662 | 16373 | 53,035 | 34614 | 15703 | 50,317 |
| Current year's administrative rate (before exclusions) | 34.12% | 32.30% | 33.53% | 22.06% | 20.77% | 21.65% | 20.83% | 19.92% | 20.54% |
| Minimum required sample size (MRSS) or other sample size | 411 | | | 411 | | | 411 | | |
| Oversampling rate | 0.05 | | | 0.05 | | | 0.05 | | |
| Final sample size | 432 | | | 432 | | | 432 | | |
| Number of numerator events by administrative data in FSS | 92 | 45 | 137 | 60 | 31 | 91 | 51 | 29 | 80 |
| Administrative rate on FSS | 21.30% | 10.42% | 31.71% | 13.89% | 7.18% | 21.06% | 11.81% | 6.71% | 18.52% |
| Number of original sample records excluded because of valid data errors | 0 | | | 0 | | | 0 | | |
| Number of administrative data records excluded | 0 | | | 0 | | | 0 | | |
| Number of medical records excluded | 0 | | | 0 | | | 0 | | |
| Number of employee/dependent medical records excluded | 0 | | | 0 | | | 0 | | |
| Records added from the oversample list | 0 | | | 0 | | | 0 | | |
| Denominator | 305 | 127 | 432 | 305 | 127 | 432 | 305 | 127 | 432 |
| Numerator events by administrative data | 95 | 46 | 141 | 63 | 33 | 96 | 55 | 31 | 86 |
| Numerator events by medical records | 102 | 31 | 133 | 122 | 39 | 161 | 111 | 39 | 150 |
| Reported rate | 64.59% | 60.63% | 63.43% | 60.66% | 56.69% | 59.49% | 54.43% | 55.12% | 54.63% |
| Lower 95% confidence interval | 59.06% | 51.74% | 58.77% | 55.01% | 47.68% | 54.75% | 48.67% | 46.07% | 49.82% |
| Upper 95% confidence interval | 70.12% | 69.52% | 68.08% | 66.30% | 65.70% | 64.24% | 60.18% | 64.16% | 59.44% |

| Childhood Immunization Status (CIS) | | WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | | | | |
|---|----------------------|--|--------|--------|--------|-------------|--------|-------------------------|-------------|-----------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|
| Data Element | General Measure Data | DTaP | IPV | MMR | HiB | Hepatitis B | VZV | Pneumo-coccal Conjugate | Hepatitis A | Rotavirus | Influenza | Combination 2 | Combination 3 | Combination 4 | Combination 5 | Combination 6 | Combination 7 | Combination 8 | Combination 9 | Combination 10 |
| Measurement year | 2014 | | | | | | | | | | | | | | | | | | | |
| Data collection methodology (administrative or hybrid) | H | | | | | | | | | | | | | | | | | | | |
| Eligible population | 13615 | | | | | | | | | | | | | | | | | | | |
| Number of numerator events by admin data in eligible population (before exclusions) | | 11233 | 12773 | 12725 | 12685 | 12764 | 12763 | 11575 | 12613 | 10320 | 5945 | 10807 | 10470 | 10373 | 8949 | 5296 | 8870 | 5270 | 4693 | 4672 |
| Current year's administrative rate (before exclusions) | | 82.50% | 93.82% | 93.46% | 93.17% | 93.75% | 93.74% | 85.02% | 92.64% | 75.80% | 43.67% | 79.38% | 76.90% | 76.19% | 65.73% | 38.90% | 65.15% | 38.71% | 34.47% | 34.32% |
| Minimum required sample size (MRSS) or other sample Size | 411 | | | | | | | | | | | | | | | | | | | |
| Oversampling rate | 0.05 | | | | | | | | | | | | | | | | | | | |
| Final sample size | 432 | | | | | | | | | | | | | | | | | | | |
| Number of numerator events by admin data in FSS | | 370 | 408 | 414 | 412 | 412 | 416 | 382 | 409 | 318 | 195 | 362 | 352 | 347 | 292 | 178 | 287 | 178 | 157 | 157 |
| Administrative rate on FSS | | 85.65% | 94.44% | 95.83% | 95.37% | 95.37% | 96.30% | 88.43% | 94.68% | 73.61% | 45.14% | 83.80% | 81.48% | 80.32% | 67.59% | 41.20% | 66.44% | 41.20% | 36.34% | 36.34% |
| Number of original records excluded because of valid data errors | 0 | | | | | | | | | | | | | | | | | | | |
| Number of administrative data records excluded | 0 | | | | | | | | | | | | | | | | | | | |
| Number of medical data records excluded | 0 | | | | | | | | | | | | | | | | | | | |
| Number of employee/dependent medical records excluded | 0 | | | | | | | | | | | | | | | | | | | |
| Records added from the oversample list | 0 | | | | | | | | | | | | | | | | | | | |
| Denominator | 432 | | | | | | | | | | | | | | | | | | | |
| Numerator events by administrative data | | 370 | 408 | 414 | 412 | 412 | 416 | 382 | 409 | 318 | 195 | 362 | 352 | 347 | 292 | 178 | 287 | 178 | 157 | 157 |
| Number of numerator events by medical records | | 11 | 5 | 0 | 2 | 5 | 1 | 5 | 3 | 9 | 5 | 12 | 11 | 12 | 12 | 8 | 14 | 8 | 10 | 10 |
| Reported rate | | 88.19% | 95.60% | 95.83% | 95.83% | 96.53% | 96.53% | 89.58% | 95.37% | 75.69% | 46.30% | 86.57% | 84.03% | 83.10% | 70.37% | 43.06% | 69.68% | 43.06% | 38.66% | 38.66% |
| Lower 95% confidence interval | | 85.04% | 93.55% | 93.83% | 93.83% | 94.69% | 94.69% | 86.59% | 93.27% | 71.53% | 41.48% | 83.24% | 80.46% | 79.45% | 65.95% | 38.27% | 65.23% | 38.27% | 33.95% | 33.95% |
| Upper 95% confidence interval | | 91.35% | 97.65% | 97.83% | 97.83% | 98.37% | 98.37% | 92.58% | 97.47% | 79.86% | 51.11% | 89.90% | 87.60% | 86.75% | 74.79% | 47.84% | 74.13% | 47.84% | 43.37% | 43.37% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Immunizations for Adolescents (IMA) | | | | |
|--|----------------------|---------------|---------|---------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | |
| Data Element | General Measure Data | Meningococcal | Tdap/Td | Combination 1 |
| Measurement year | 2014 | | | |
| Data collection methodology (administrative or hybrid) | H | | | |
| Eligible population | 17947 | | | |
| Number of numerator events by admin data in eligible population (before exclusions) | | 13258 | 14169 | 12897 |
| Current year's administrative rate (before exclusions) | | 73.87% | 78.95% | 71.86% |
| Minimum required sample size (MRSS) or other sample Size | 321 | | | |
| Oversampling rate | 0.05 | | | |
| Final sample size | 338 | | | |
| Number of numerator events by admin data in FSS | | 244 | 270 | 239 |
| Administrative rate on FSS | | 72.19% | 79.88% | 70.71% |
| Number of original records excluded because of valid data errors | 0 | | | |
| Number of administrative data records excluded | 0 | | | |
| Number of medical data records excluded | 0 | | | |
| Number of employee/dependent medical records excluded | 0 | | | |
| Records added from the oversample list | 0 | | | |
| Denominator | 338 | | | |
| Numerator events by administrative data | | 248 | 273 | 243 |
| Number of numerator events by medical records | | 12 | 13 | 15 |
| Reported rate | | 76.92% | 84.62% | 76.33% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| | | | | |
|--------------------------------------|--|--------|--------|--------|
| Lower 95% confidence interval | | 72.28% | 80.62% | 71.65% |
| Upper 95% confidence interval | | 81.56% | 88.61% | 81.01% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Human Papillomavirus Vaccine for Female Adolescents (HPV) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative or hybrid) | H |
| Eligible population | 8899 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 1763 |
| Current year's administrative rate (before exclusions) | 19.81% |
| Minimum required sample size (MRSS) or other sample size | 411 |
| Oversampling rate | 0.05 |
| Final sample size (FSS) | 432 |
| Number of numerator events by administrative data in FSS | 77 |
| Administrative rate on FSS | 17.82% |
| Number of original sample records excluded because of valid data errors | 0 |
| Number of administrative data records excluded | 0 |
| Number of medical data records excluded | 0 |
| Number of employee/dependent medical records excluded | 0 |
| Records added from the oversample list | 0 |
| Denominator | 432 |
| Numerator events by administrative data | 77 |
| Numerator events by medical records | 11 |
| Reported rate | 20.37% |
| Lower 95% confidence interval | 16.46% |
| Upper 95% confidence interval | 24.28% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Lead Screening in Children (LSC) | |
|--|----------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Lead Screening in Children | |
| Data Elements which do not apply to the selected data collection methodology will not appear | General Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative or hybrid) | H |
| Eligible population | 13615 |
| Number of numerator events by admin data in eligible population (before exclusions) | 10665 |
| Current year's administrative rate (before exclusions) | 78.33% |
| Minimum required sample size (MRSS) or other sample size | 296 |
| Oversampling rate | 0.05 |
| Final sample size (FSS) | 311 |
| Number of numerator events by administrative data in FSS | 244 |
| Administrative rate on FSS | 78.46% |
| Number of original sample records excluded because of valid data errors | 0 |
| Number of administrative data records excluded | 0 |
| Number of medical data records excluded | 0 |
| Number of employee/dependent medical records excluded | 0 |
| Records added from the oversample list | 0 |
| Denominator | 311 |
| Numerator events by administrative data | 245 |
| Numerator events by medical records | 8 |
| Reported rate | 81.35% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| | |
|--------------------------------------|--------|
| Lower 95% confidence interval | 76.86% |
| Upper 95% confidence interval | 85.84% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Breast Cancer Screening (BCS) | |
|--|----------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | General Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 672 |
| Number of optional exclusions | 12 |
| Numerator events by administrative data | 485 |
| Reported rate | 72.17% |
| Lower 95% confidence interval | 68.71% |
| Upper 95% confidence interval | 75.64% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Cervical Cancer Screening (CCS) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative or hybrid) | H |
| Eligible population | 24009 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 15786 |
| Current year's administrative rate (before exclusions) | 65.75% |
| Minimum required sample size (MRSS) or other sample size | 328 |
| Oversampling rate | 0.05 |
| Final sample size (FSS) | 345 |
| Number of numerator events by administrative data in FSS | 247 |
| Administrative rate on FSS | 71.59% |
| Number of original sample records excluded because of valid data errors | 0 |
| Number of administrative data records excluded | 0 |
| Number of medical data records excluded | 3 |
| Number of employee/dependent medical records excluded | 0 |
| Records added from the oversample list | 0 |
| Denominator | 342 |
| Numerator events by administrative data | 248 |
| Numerator events by medical records | 7 |
| Reported rate | 74.56% |
| Lower 95% confidence interval | 69.80% |
| Upper 95% confidence interval | 79.32% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 22410 |
| Number of required exclusions | 109 |
| Numerator events by administrative data | 1186 |
| Reported rate | 5.29% |
| Lower 95% confidence interval | 5.00% |
| Upper 95% confidence interval | 5.59% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Chlamydia Screening in Women (CHL) | | | | |
|--|----------------------|-------------|-------------|--------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | |
| Data Element | General Measure Data | 16-20 Years | 21-24 Years | Total |
| Measurement year | 2014 | | | |
| Data collection methodology (administrative) | A | | | |
| Eligible population | | 11191 | 3016 | 14,207 |
| Number of optional exclusions | | 712 | 94 | 806 |
| Numerator events by administrative data | | 5307 | 1834 | 7,141 |
| Reported rate | | 47.42% | 60.81% | 50.26% |
| Lower 95% confidence interval | | 46.49% | 59.05% | 49.44% |
| Upper 95% confidence interval | | 48.35% | 62.57% | 51.09% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Appropriate Testing for Children with Pharyngitis (CWP) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 23250 |
| Numerator events by administrative data | 18389 |
| Reported rate | 79.09% |
| Lower 95% confidence interval | 78.57% |
| Upper 95% confidence interval | 79.62% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Appropriate Treatment for Children With URI (URI) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 31770 |
| Numerator events by administrative data | 5462 |
| Reported rate | 82.81% |
| Lower 95% confidence interval | 82.39% |
| Upper 95% confidence interval | 83.22% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB) | |
|--|---------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 1185 |
| Total numerator events by administrative data | 934 |
| Reported rate | 21.18% |
| Lower 95% confidence interval | 18.81% |
| Upper 95% confidence interval | 23.55% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 105 |
| Numerator events by administrative data | 39 |
| Reported rate | 37.14% |
| Lower 95% confidence interval | 27.42% |
| Upper 95% confidence interval | 46.86% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Pharmacotherapy Management of COPD Exacerbation (PCE) | | | |
|--|--------------|-------------------------|----------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | |
| Pharmacotherapy Management of COPD Exacerbation | | | |
| Data Elements | Measure Data | Systemic corticosteroid | Bronchodilator |
| Measurement year | 2014 | | |
| Data collection methodology (administrative) | A | | |
| Eligible population | 144 | | |
| Numerator events by administrative data | | 106 | 122 |
| Reported rate | | 73.61% | 84.72% |
| Lower 95% confidence interval | | 66.07% | 78.50% |
| Upper 95% confidence interval | | 81.16% | 90.95% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Use of Appropriate Medications for People With Asthma (ASM) | | | | | | |
|--|----------------------|------------|-------------|-------------|-------------|--------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | |
| Data Element | General Measure Data | 5-11 years | 12-18 years | 19-50 years | 51-64 years | Total |
| Measurement year | 2014 | | | | | |
| Data collection methodology (administrative) | A | | | | | |
| Eligible population | | 3998 | 2421 | 341 | 29 | 6,789 |
| Number of required exclusions | | 539 | 293 | 339 | 76 | 1,247 |
| Numerator events by administrative data | | 3676 | 2143 | 244 | 25 | 6,088 |
| Reported rate | | 91.95% | 88.52% | 71.55% | NA | 89.67% |
| Lower 95% confidence interval | | 91.09% | 87.23% | 66.62% | NA | 88.94% |
| Upper 95% confidence interval | | 92.80% | 89.81% | 76.49% | NA | 90.41% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Medication Management for People With Asthma (MMA) | | | | | | | | | | | | |
|--|----------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|--|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | |
| Data Element | General Measure Data | 5-11 years | | 12-18 years | | 19-50 years | | 51-64 years | | Total | | |
| | | Medication Compliance 50% | Medication Compliance 75% | |
| Measurement year | 2014 | | | | | | | | | | | |
| Data collection methodology (administrative) | A | | | | | | | | | | | |
| Eligible population | | 3676 | | 2143 | | 244 | | 25 | | 6,088 | | |
| Number of required exclusions | | 861 | | 571 | | 436 | | 80 | | 1,948 | | |
| Numerator events by administrative data | | 1677 | 806 | 900 | 391 | 141 | 82 | 16 | 10 | 2,734 | 1,289 | |
| Reported rate | | 45.62% | 21.93% | 42.00% | 18.25% | 57.79% | 33.61% | NA | NA | 44.91% | 21.17% | |
| Lower 95% confidence interval | | 44.00% | 20.57% | 39.88% | 16.59% | 51.38% | 27.47% | NA | NA | 43.65% | 20.14% | |
| Upper 95% confidence interval | | 47.24% | 23.28% | 44.11% | 19.90% | 64.19% | 39.74% | NA | NA | 46.17% | 22.21% | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Asthma Medication Ratio (AMR) | | | | | | |
|--|--------------|------------|-------------|-------------|-------------|--------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | |
| Data Element | Measure Data | 5-11 years | 12-18 years | 19-50 years | 51-64 years | Total |
| Measurement year | 2014 | | | | | |
| Data collection methodology (administrative) | A | | | | | |
| Eligible population | | 3951 | 2405 | 334 | 29 | 6,719 |
| Number of required exclusions | | 586 | 309 | 346 | 76 | 1,317 |
| Numerator events by administrative data | | 3018 | 1616 | 167 | 15 | 4,816 |
| Reported rate | | 76.39% | 67.19% | 50.00% | NA | 71.68% |
| Lower 95% confidence interval | | 75.05% | 65.30% | 44.49% | NA | 70.59% |
| Upper 95% confidence interval | | 77.72% | 69.09% | 55.51% | NA | 72.76% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Controlling High Blood Pressure (CBP) | |
|--|----------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | General Measure Data |
| Measurement year | 2014 |
| Data collection methodology (hybrid) | H |
| Eligible population | 4875 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 0 |
| Current year's administrative rate (before exclusions) | 0.00% |
| Minimum required sample size (MRSS) or other sample size | 411 |
| Oversampling rate | 0.1 |
| Final sample size (FSS) | 453 |
| Number of numerator events by administrative data in FSS | 0 |
| Administrative rate on FSS | 0.00% |
| Number of original sample records excluded because of valid data errors | 0 |
| Number of records excluded because of false positive diagnoses | 0 |
| Number of administrative data records excluded | 2 |
| Number of medical data records excluded | 0 |
| Number of employee/dependent medical records excluded | 0 |
| Records added from the oversample list | 0 |
| Denominator | 451 |
| Numerator events by administrative data | 0 |
| Numerator events by medical records | 195 |
| Reported rate | 43.24% |
| Lower 95% confidence interval | 38.55% |
| Upper 95% confidence interval | 47.92% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Persistence of Beta-Blocker Treatment After a Heart Attack (PBH) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 27 |
| Number of optional exclusions | 10 |
| Numerator events by administrative data | 22 |
| Reported rate | NA |
| Lower 95% confidence interval | NA |
| Upper 95% confidence interval | NA |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Comprehensive Diabetes Care (CDC) | | | | | | | |
|---|---------------|----------------------------|-----------------------|---|----------|-----------------------------------|---|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | |
| Data Element | HbA1c Testing | HbA1c Poor Control (>9.0%) | HbA1c Control (<8.0%) | HbA1c Control (<7.0%) for a Selected Population | Eye Exam | Medical Attention for Nephropathy | Blood Pressure Controlled <140/90 mm Hg |
| Measurement year | 2014 | 2014 | 2014 | 2014 | 2014 | 2014 | 2014 |
| Data collection methodology (administrative or hybrid) | H | H | H | H | H | H | H |
| Eligible population with required exclusions applied | 2541 | 2541 | 2541 | 2071 | 2541 | 2541 | 2541 |
| Number of numerator events by administrative data in eligible population (before optional exclusions) | 1990 | 1933 | 499 | 315 | 833 | 1720 | 70 |
| Current year's administrative rate (before optional exclusions) | 78.32% | 76.07% | 19.64% | 15.21% | 32.78% | 67.69% | 2.75% |
| Minimum required sample size (MRSS) or other sample size | 548 | 548 | 548 | 548 | 548 | 548 | 548 |
| Oversampling rate | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| Final sample size (FSS) | 603 | 603 | 603 | 603 | 603 | 603 | 603 |
| Number of numerator events by administrative data in FSS | 481 | 455 | 125 | 75 | 191 | 419 | 22 |
| Administrative rate on FSS | 79.77% | 75.46% | 20.73% | 12.44% | 31.67% | 69.49% | 3.65% |
| Number of original sample records excluded because of valid data errors | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Number of optional administrative data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of optional medical data records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Number of HbA1c <7 required medical records excluded | | | | 3 | | | |
| Number of HbA1c <7 required administrative data records excluded | | | | 117 | | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Comprehensive Diabetes Care (CDC) | | | | | | | |
|--|---------------|----------------------------|-----------------------|---|----------|-----------------------------------|---|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | |
| Data Element | HbA1c Testing | HbA1c Poor Control (>9.0%) | HbA1c Control (<8.0%) | HbA1c Control (<7.0%) for a Selected Population | Eye Exam | Medical Attention for Nephropathy | Blood Pressure Controlled <140/90 mm Hg |
| Measurement year | 2014 | 2014 | 2014 | 2014 | 2014 | 2014 | 2014 |
| Number of employee/dependent medical records excluded | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Records added from the oversample list | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Denominator | 601 | 601 | 601 | 481 | 601 | 601 | 601 |
| Numerator events by administrative data | 487 | 224 | 87 | 54 | 198 | 422 | 13 |
| Numerator events by medical records | 13 | 69 | 173 | 102 | 15 | 39 | 322 |
| Reported rate | 83.19% | 48.75% | 43.26% | 32.43% | 35.44% | 76.71% | 55.74% |
| Lower 95% confidence interval | 80.12% | 44.67% | 39.22% | 28.14% | 31.53% | 73.24% | 51.69% |
| Upper 95% confidence interval | 86.27% | 52.83% | 47.31% | 36.72% | 39.35% | 80.17% | 59.79% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Disease Modifying Anti-Rheumatic Drug therapy in Rheumatoid Arthritis (ART) | |
|--|---------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 101 |
| Number of optional exclusions | 2 |
| Numerator events by administrative data | 69 |
| Reported rate | 68.32% |
| Lower 95% confidence interval | 58.75% |
| Upper 95% confidence interval | 77.89% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Use of Imaging Studies for Low Back Pain (LBP) | |
|--|---------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 1685 |
| Number of required exclusions | 973 |
| Numerator events by administrative data | 414 |
| Reported rate | 75.43% |
| Lower 95% confidence Interval | 73.35% |
| Upper 95% confidence Interval | 77.52% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Antidepressant Medication Management (AMM) | | | |
|--|----------------------|---------------------------------|--|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | |
| Data Element | General Measure Data | Effective Acute Phase Treatment | Effective Continuation Phase Treatment |
| Measurement year | 2014 | | |
| Data collection methodology (administrative) | A | | |
| Eligible population | 1933 | | |
| Number of required exclusions | 14557 | | |
| Numerator events by administrative data | | 907 | 587 |
| Reported rate | | 46.92% | 30.37% |
| Lower 95% confidence interval | | 44.67% | 28.29% |
| Upper 95% confidence interval | | 49.17% | 32.44% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Follow-Up Care for Children Prescribed ADHD Medication (ADD) | | | |
|--|----------------------|------------------|------------------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | |
| Data Element | General Measure Data | Initiation Phase | Continuation and Maintenance Phase |
| Measurement year | 2014 | | |
| Data collection methodology (administrative) | A | | |
| Eligible population | | 6529 | 1096 |
| Number of optional exclusions | | 8 | 1 |
| Numerator events by administrative data | | 3194 | 699 |
| Reported rate | | 48.92% | 63.78% |
| Lower 95% confidence interval | | 47.70% | 60.89% |
| Upper 95% confidence interval | | 50.14% | 66.67% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Follow-Up After Hospitalization for Mental Illness (FUH) | | | |
|---|----------------------|------------------|-----------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | |
| Data Element | General Measure Data | 30-day follow-up | 7-day follow-up |
| Measurement year | 2014 | | |
| Data collection methodology (administrative) | A | | |
| Eligible population | 2781 | | |
| Numerator events by administrative data | | 1939 | 1412 |
| Reported rate | | 69.72% | 50.77% |
| Lower 95% confidence interval | | 68.00% | 48.90% |
| Upper 95% confidence interval | | 71.45% | 52.65% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (SSD)

WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None)

| Data Element | Measure Data |
|--|--------------|
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 540 |
| Number of required exclusions | 430 |
| Numerator events by administrative data | 449 |
| Reported rate | 83.15% |
| Lower 95% confidence interval | 79.90% |
| Upper 95% confidence interval | 86.40% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 32 |
| Number of optional exclusions | 0 |
| Numerator events by administrative data | 24 |
| Reported rate | 75.00% |
| Lower 95% confidence interval | 58.43% |
| Upper 95% confidence interval | 91.57% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC) | |
|--|---------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 3 |
| Numerator events by administrative data | 1 |
| Reported rate | NA |
| Lower 95% confidence interval | NA |
| Upper 95% confidence interval | NA |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 130 |
| Number of required exclusions | 54 |
| Numerator events by administrative data | 44 |
| Reported rate | 33.85% |
| Lower 95% confidence interval | 25.33% |
| Upper 95% confidence interval | 42.37% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC) | | | | | |
|--|--------------|-----------|------------|-------------|-------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Data Element | Measure Data | 1-5 Years | 6-11 Years | 12-17 Years | Total |
| Measurement year | 2014 | | | | |
| Data collection methodology (administrative) | A | | | | |
| Eligible population | | 33 | 694 | 868 | 1,595 |
| Numerator events by administrative data | | 0 | 7 | 28 | 35 |
| Reported rate | | 0.00% | 1.01% | 3.23% | 2.19% |
| Lower 95% confidence interval | | 0.00% | 0.19% | 1.99% | 1.44% |
| Upper 95% confidence interval | | 1.52% | 1.82% | 4.46% | 2.94% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM) | | | | | |
|--|--------------|-----------|------------|-------------|--------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Data Element | Measure Data | 1-5 Years | 6-11 Years | 12-17 Years | Total |
| Measurement year | 2014 | | | | |
| Data collection methodology (administrative) | A | | | | |
| Eligible population | | 58 | 1024 | 1372 | 2,454 |
| Numerator events by administrative data | | 9 | 193 | 382 | 584 |
| Reported rate | | 15.52% | 18.85% | 27.84% | 23.80% |
| Lower 95% confidence interval | | 5.34% | 16.40% | 25.43% | 22.09% |
| Upper 95% confidence interval | | 25.70% | 21.29% | 30.25% | 25.50% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Annual Monitoring for Patients on Persistent Medications (MPM) | | | | | |
|--|----------------------|------------------------|---------|-----------|--------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Data Element | General Measure Data | ACE Inhibitors or ARBs | Digoxin | Diuretics | Total |
| Measurement year | 2014 | | | | |
| Data collection methodology (administrative) | A | | | | |
| Eligible population | | 2168 | 14 | 2019 | 4,201 |
| Number of optional exclusions | | 7 | 1 | 8 | 16 |
| Numerator events by administrative data | | 1880 | 7 | 1762 | 3,649 |
| Reported rate | | 86.72% | NA | 87.27% | 86.86% |
| Lower 95% confidence interval | | 85.26% | NA | 85.79% | 85.83% |
| Upper 95% confidence interval | | 88.17% | NA | 88.75% | 87.89% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Adults' Access to Preventive/Ambulatory Health Services (AAP) | | | | | |
|--|----------------------|-------------|-------------|-----------|--------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Data Element | General Measure Data | 20-44 years | 45-64 years | 65+ years | Total |
| Measurement year | 2014 | | | | |
| Data collection methodology (administrative) | A | | | | |
| Eligible population | | 26482 | 3783 | 1 | 30,266 |
| Numerator events by administrative data | | 21653 | 3394 | 1 | 25,048 |
| Reported rate | | 81.76% | 89.72% | NA | 82.76% |
| Lower 95% confidence interval | | 81.30% | 88.74% | NA | 82.33% |
| Upper 95% confidence interval | | 82.23% | 90.70% | NA | 83.19% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Children and Adolescents' Access to Primary Care Practitioners (CAP) | | | | | |
|--|----------------------|--------------|---------------------|------------|-------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Data Element | General Measure Data | 12-24 months | 25 months - 6 years | 7-11 years | 12-19 years |
| Measurement year | 2014 | | | | |
| Data collection methodology (administrative) | A | | | | |
| Eligible population | | 18728 | 105784 | 75996 | 84984 |
| Numerator events by administrative data | | 18262 | 96511 | 70379 | 76780 |
| Reported rate | | 97.51% | 91.23% | 92.61% | 90.35% |
| Lower 95% confidence interval | | 97.29% | 91.06% | 92.42% | 90.15% |
| Upper 95% confidence interval | | 97.74% | 91.40% | 92.80% | 90.55% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Annual Dental Visit (ADV) | | | | | | | | |
|--|--------------|-----------|-----------|------------|-------------|-------------|-------------|---------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | |
| Data Element | Measure Data | 2-3 Years | 4-6 Years | 7-10 Years | 11-14 Years | 15-18 Years | 19-21 Years | Total |
| Measurement year | 2014 | | | | | | | |
| Data collection methodology (administrative) | A | | | | | | | |
| Eligible population | | 38900 | 68155 | 87699 | 75751 | 58800 | 2685 | 331,990 |
| Numerator events by administrative data | | 18261 | 49243 | 65897 | 52497 | 34488 | 858 | 221,244 |
| Reported rate | | 46.94% | 72.25% | 75.14% | 69.30% | 58.65% | 31.96% | 66.64% |
| Lower 95% confidence interval | | 46.45% | 71.91% | 74.85% | 68.97% | 58.25% | 30.17% | 66.48% |
| Upper 95% confidence interval | | 47.44% | 72.59% | 75.43% | 69.63% | 59.05% | 33.74% | 66.80% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Initiation and Engagement of AOD Dependence Treatment (IET) | | | | | | |
|--|----------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | |
| Data Elements | General Measure Data | 13-17 years | | 18+ years | | Total |
| | | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment | Engagement of AOD Treatment | Initiation of AOD Treatment |
| Measurement year | 2014 | | | | | |
| Data collection methodology (administrative) | A | | | | | |
| Eligible population | | 790 | | 3326 | | 4,116 |
| Numerator events by administrative data | | 308 | 95 | 1023 | 194 | 1,331 |
| Reported rate | | 38.99% | 12.03% | 30.76% | 5.83% | 32.34% |
| Lower 95% confidence interval | | 35.52% | 9.69% | 29.17% | 5.02% | 30.90% |
| Upper 95% confidence interval | | 42.45% | 14.36% | 32.34% | 6.64% | 33.78% |
| | | | | | | 7.81% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Prenatal and Postpartum Care (PPC) | | |
|---|-----------------------------------|--------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | |
| Data Element | Timeliness of Prenatal Care | Postpartum Care |
| Measurement year | 2014 | 2014 |
| Data collection methodology (administrative or hybrid) | H | H |
| Eligible population | 25031 | 25031 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 8745 | 8801 |
| Current year's administrative rate (before exclusions) | 34.94% | 35.16% |
| Minimum required sample size (MRSS) or other sample size | 376 | 376 |
| Oversampling rate | 0.05 | 0.05 |
| Final sample size (FSS) | 395 | 395 |
| Number of numerator events by administrative data in FSS | 136 | 138 |
| Administrative rate on FSS | 34.43% | 34.94% |
| Number of original sample records excluded because of valid data errors | 0 | 0 |
| Number of employee/dependent medical records excluded | 0 | 0 |
| Records added from the oversample list | 0 | 0 |
| Denominator | 395 | 395 |
| Numerator events by administrative data | 153 | 158 |
| Numerator events by medical records | 168 | 97 |
| Reported rate | 81.27% | 64.56% |
| Lower 95% confidence interval | 77.29% | 59.71% |
| Upper 95% confidence interval | 85.24% | 69.40% |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Call Answer Timeliness (CAT) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative) | A |
| Eligible population | 519965 |
| Numerator events by administrative data | 440763 |
| Reported rate | 84.77% |
| Lower 95% confidence interval | 84.67% |
| Upper 95% confidence interval | 84.87% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP) | | | | | |
|--|--------------|-----------|------------|-------------|--------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Data Element | Measure Data | 1-5 Years | 6-11 Years | 12-17 Years | Total |
| Measurement year | 2014 | | | | |
| Data collection methodology (administrative) | A | | | | |
| Eligible population | | 39 | 496 | 594 | 1,129 |
| Number of required exclusions | | 28 | 197 | 367 | 592 |
| Numerator events by administrative data | | 21 | 285 | 338 | 644 |
| Reported rate | | 53.85% | 57.46% | 56.90% | 57.04% |
| Lower 95% confidence interval | | 36.92% | 53.01% | 52.84% | 54.11% |
| Upper 95% confidence interval | | 70.77% | 61.91% | 60.97% | 59.97% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Frequency of Ongoing Prenatal Care (FPC) | | | | | | |
|--|----------------------|-------------|---------------|---------------|---------------|-------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | |
| Data Element | General Measure Data | <21 Percent | 21-40 Percent | 41-60 Percent | 61-80 Percent | 81+ Percent |
| Measurement year | 2014 | | | | | |
| Data collection methodology (administrative or hybrid) | H | | | | | |
| Eligible population | 25031 | | | | | |
| Number of numerator events by administrative data in eligible population (before exclusions) | | 15057 | 4977 | 2003 | 1146 | 1848 |
| Current year's administrative rate (before exclusions) | | 60.15% | 19.88% | 8.00% | 4.58% | 7.38% |
| Minimum required sample size (MRSS) or other sample size | 376 | | | | | |
| Oversampling rate | 0.05 | | | | | |
| Final sample size (FSS) | 395 | | | | | |
| Number of numerator events by administrative data in FSS | | 248 | 74 | 29 | 19 | 25 |
| Administrative rate on FSS | | 62.78% | 18.73% | 7.34% | 4.81% | 6.33% |
| Number of original sample records excluded because of valid data errors | 0 | | | | | |
| Number of employee/dependent medical records excluded | 0 | | | | | |
| Records added from the oversample list | 0 | | | | | |
| Denominator | 395 | | | | | |
| Numerator events by administrative data | | 50 | 18 | 10 | 9 | 32 |
| Numerator events by medical records | | 5 | 11 | 13 | 48 | 199 |
| Reported rate | | 13.92% | 7.34% | 5.82% | 14.43% | 58.48% |
| Lower 95% confidence interval | | 10.38% | 4.64% | 3.39% | 10.84% | 53.49% |
| Upper 95% confidence interval | | 17.46% | 10.04% | 8.26% | 18.02% | 63.47% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Well-Child Visits in the First 15 Months of Life (W15) | | | | | | | | |
|--|--------------|----------|---------|----------|----------|----------|----------|------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | |
| Data Element | Measure Data | 0 visits | 1 visit | 2 visits | 3 visits | 4 visits | 5 visits | 6 or more visits |
| Measurement year | 2014 | | | | | | | |
| Data collection methodology (administrative or hybrid) | H | | | | | | | |
| Eligible population | 15570 | | | | | | | |
| Number of numerator events by administrative data in eligible population (before exclusions) | | 222 | 319 | 522 | 854 | 1682 | 3060 | 8911 |
| Current year's administrative rate (before exclusions) | | 1.43% | 2.05% | 3.35% | 5.48% | 10.80% | 19.65% | 57.23% |
| Minimum required sample size (MRSS) or other sample size | 360 | | | | | | | |
| Oversampling rate | 0.05 | | | | | | | |
| Final sample size (FSS) | 378 | | | | | | | |
| Number of numerator events by administrative data in FSS | | 5 | 6 | 15 | 18 | 46 | 66 | 222 |
| Administrative rate on FSS | | 1.32% | 1.59% | 3.97% | 4.76% | 12.17% | 17.46% | 58.73% |
| Number of original sample records excluded because of valid data errors | 0 | | | | | | | |
| Number of employee/dependent medical records excluded | 0 | | | | | | | |
| Records added from the oversample list | 0 | | | | | | | |
| Denominator | 378 | | | | | | | |
| Numerator events by administrative data | | 2 | 3 | 10 | 11 | 31 | 40 | 225 |
| Numerator events by medical records | | 0 | 1 | 3 | 4 | 4 | 16 | 28 |
| Reported rate | | 0.53% | 1.06% | 3.44% | 3.97% | 9.26% | 14.81% | 66.93% |
| Lower 95% confidence interval | | 0.00% | 0.00% | 1.47% | 1.87% | 6.20% | 11.10% | 62.06% |
| Upper 95% confidence interval | | 1.39% | 2.22% | 5.41% | 6.07% | 12.31% | 18.53% | 71.81% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Adolescent Well-Care Visits (AWC) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative or hybrid) | H |
| Eligible population | 117359 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 54454 |
| Current year's administrative rate (before exclusions) | 46.40% |
| Minimum required sample size (MRSS) or other sample size | 411 |
| Oversampling rate | 0.05 |
| Final sample size (FSS) | 432 |
| Number of numerator events by administrative data in FSS | 195 |
| Administrative rate on FSS | 45.14% |
| Number of original sample records excluded because of valid data errors | 0 |
| Number of employee/dependent medical records excluded | 0 |
| Records added from the oversample list | 0 |
| Denominator | 432 |
| Numerator events by administrative data | 197 |
| Numerator events by medical records | 17 |
| Reported rate | 49.54% |
| Lower 95% confidence interval | 44.71% |
| Upper 95% confidence interval | 54.37% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34) | |
|--|--------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Data Element | Measure Data |
| Measurement year | 2014 |
| Data collection methodology (administrative or hybrid) | H |
| Eligible population | 89139 |
| Number of numerator events by administrative data in eligible population (before exclusions) | 60746 |
| Current year's administrative rate (before exclusions) | 68.15% |
| Minimum required sample size (MRSS) or other sample size | 360 |
| Oversampling rate | 0.05 |
| Final sample size (FSS) | 378 |
| Number of numerator events by administrative data in FSS | 244 |
| Administrative rate on FSS | 64.55% |
| Number of original sample records excluded because of valid data errors | 0 |
| Number of employee/dependent medical records excluded | 0 |
| Records added from the oversample list | 0 |
| Denominator | 378 |
| Numerator events by administrative data | 251 |
| Numerator events by medical records | 2 |
| Reported rate | 66.93% |
| Lower 95% confidence interval | 62.06% |
| Upper 95% confidence interval | 71.81% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Frequency of Selected Procedures (FSP) | | | | |
|--|-----------|---------------|----------------------|----------------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | |
| Age | Male | Female | Total | |
| 0-9 | 1,860,664 | 1,808,294 | 3,668,961 | |
| 10-19 | 1,221,488 | 1,250,135 | 2,471,632 | |
| 15-44 | | 1,185,762 | | |
| 20-44 | 69,761 | 689,854 | | |
| 30-64 | 62,695 | | | |
| 45-64 | 15,771 | 56,816 | | |
| Procedure | Age | Sex | Number of Procedures | Procedures / 1,000 Member Months |
| Bariatric weight loss surgery | 0-19 | Male | 0 | 0.00 |
| | | Female | 0 | 0.00 |
| | 20-44 | Male | 2 | 0.03 |
| | | Female | 51 | 0.07 |
| | 45-64 | Male | 0 | 0.00 |
| | | Female | 3 | 0.05 |
| Tonsillectomy | 0-9 | Male & Female | 3165 | 0.86 |
| | 10-19 | | 839 | 0.34 |
| Hysterectomy, Abdominal | 15-44 | Female | 277 | 0.23 |
| | 45-64 | | 33 | 0.58 |
| Hysterectomy, Vaginal | 15-44 | Female | 273 | 0.23 |
| | 45-64 | | 31 | 0.55 |
| Cholecystectomy, Open | 30-64 | Male | 1 | 0.02 |
| | 15-44 | Female | 21 | 0.02 |
| | 45-64 | | 1 | 0.02 |
| Cholecystectomy (laparoscopic) | 30-64 | Male | 19 | 0.30 |
| | 15-44 | Female | 824 | 0.69 |
| | 45-64 | | 47 | 0.83 |
| Back Surgery | 20-44 | Male | 49 | 0.70 |
| | | Female | 144 | 0.21 |
| | 45-64 | Male | 14 | 0.89 |
| | | Female | 36 | 0.63 |
| Mastectomy | 15-44 | Female | 54 | 0.05 |
| | 45-64 | | 61 | 1.07 |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| | | | | |
|-------------------|--------------|---------------|-----|------|
| Lumpectomy | 15-44 | Female | 185 | 0.16 |
| | 45-64 | | 66 | 1.16 |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Ambulatory Care: Total (AMBA) | |
|--|------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Age | Member Months |
| <1 | 433,170 |
| 1-9 | 3,235,791 |
| 10-19 | 2,471,632 |
| 20-44 | 759,615 |
| 45-64 | 72,587 |
| 65-74 | 95 |
| 75-84 | 6 |
| 85+ | 1 |
| Unknown | 0 |
| Total | 6,972,897 |

| Age | Outpatient Visits | | ED Visits | |
|--------------|-------------------|-----------------------------|----------------|-----------------------------|
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | 356577 | 823.18 | 43856 | 101.24 |
| 1-9 | 1040200 | 321.47 | 167142 | 51.65 |
| 10-19 | 562984 | 227.78 | 101128 | 40.92 |
| 20-44 | 316574 | 416.76 | 105898 | 139.41 |
| 45-64 | 52802 | 727.43 | 7620 | 104.98 |
| 65-74 | 43 | 452.63 | 5 | 52.63 |
| 75-84 | 3 | 500.00 | 0 | 0.00 |
| 85+ | 2 | 2,000.00 | 1 | 1,000.00 |
| Unknown | 0 | | 0 | |
| Total | 2,329,185 | 334.03 | 425,650 | 61.04 |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Ambulatory Care: Dual Eligibles (AMBB) | | | | |
|--|-------------------|-----------------------------|--------|-----------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | |
| Age | Member Months | | | |
| <1 | NR | | | |
| 1-9 | NR | | | |
| 10-19 | NR | | | |
| 20-44 | NR | | | |
| 45-64 | NR | | | |
| 65-74 | NR | | | |
| 75-84 | NR | | | |
| 85+ | NR | | | |
| Unknown | NR | | | |
| Total | NR | | | |
| Age | Outpatient Visits | ED Visits | | |
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR |
| Unknown | NR | | NR | |
| Total | NR | NR | NR | NR |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Ambulatory Care: Disabled (AMBC) | | | | |
|--|-------------------|-----------------------------|-----------|-----------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | |
| Age | Member Months | | | |
| <1 | NR | | | |
| 1-9 | NR | | | |
| 10-19 | NR | | | |
| 20-44 | NR | | | |
| 45-64 | NR | | | |
| 65-74 | NR | | | |
| 75-84 | NR | | | |
| 85+ | NR | | | |
| Unknown | NR | | | |
| Total | NR | | | |
| Age | Outpatient Visits | | ED Visits | |
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR |
| Unknown | NR | | NR | |
| Total | NR | NR | NR | NR |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Ambulatory Care: Other (AMBD) | | | | |
|--|-------------------|-----------------------------|-----------|-----------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | |
| Age | Member Months | | | |
| <1 | NR | | | |
| 1-9 | NR | | | |
| 10-19 | NR | | | |
| 20-44 | NR | | | |
| 45-64 | NR | | | |
| 65-74 | NR | | | |
| 75-84 | NR | | | |
| 85+ | NR | | | |
| Unknown | NR | | | |
| Total | NR | | | |
| Age | Outpatient Visits | | ED Visits | |
| | Visits | Visits/ 1,000 Member Months | Visits | Visits/ 1,000 Member Months |
| <1 | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR |
| Unknown | NR | | NR | |
| Total | NR | NR | NR | NR |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Inpatient Utilization--General Hospital/Acute Care: Total (IPUA) | | | | | |
|--|------------------|----------------------------------|----------------|-----------------------------|------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Age | Member Months | | | | |
| <1 | 433,170 | | | | |
| 1-9 | 3,235,791 | | | | |
| 10-19 | 2,471,632 | | | | |
| 20-44 | 759,615 | | | | |
| 45-64 | 72,587 | | | | |
| 65-74 | 95 | | | | |
| 75-84 | 6 | | | | |
| 85+ | 1 | | | | |
| Unknown | 0 | | | | |
| Total | 6,972,897 | | | | |
| Total Inpatient | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | 3496 | 8.07 | 22845 | 52.74 | 6.53 |
| 1-9 | 4307 | 1.33 | 10588 | 3.27 | 2.46 |
| 10-19 | 7136 | 2.89 | 20057 | 8.11 | 2.81 |
| 20-44 | 31991 | 42.11 | 85546 | 112.62 | 2.67 |
| 45-64 | 1108 | 15.26 | 4767 | 65.67 | 4.30 |
| 65-74 | 2 | 21.05 | 7 | 73.68 | 3.50 |
| 75-84 | 2 | 333.33 | 20 | 3,333.33 | 10.00 |
| 85+ | 0 | 0.00 | 0 | 0.00 | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 48,042 | 6.89 | 143,830 | 20.63 | 2.99 |
| Medicine | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | 2611 | 6.03 | 10599 | 24.47 | 4.06 |
| 1-9 | 2782 | 0.86 | 6082 | 1.88 | 2.19 |
| 10-19 | 1574 | 0.64 | 4100 | 1.66 | 2.60 |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Inpatient Utilization--General Hospital/Acute Care: Total (IPUA) | | | | | |
|---|---------------|----------------------------------|---------------|-----------------------------|------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| 20-44 | 2150 | 2.83 | 6516 | 8.58 | 3.03 |
| 45-64 | 663 | 9.13 | 2256 | 31.08 | 3.40 |
| 65-74 | 2 | 21.05 | 7 | 73.68 | 3.50 |
| 75-84 | 2 | 333.33 | 20 | 3,333.33 | 10.00 |
| 85+ | 0 | 0.00 | 0 | 0.00 | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 9,784 | 1.40 | 29,580 | 4.24 | 3.02 |
| Surgery | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | 885 | 2.04 | 12246 | 28.27 | 13.84 |
| 1-9 | 1525 | 0.47 | 4506 | 1.39 | 2.95 |
| 10-19 | 1029 | 0.42 | 4729 | 1.91 | 4.60 |
| 20-44 | 1464 | 1.93 | 7150 | 9.41 | 4.88 |
| 45-64 | 415 | 5.72 | 2440 | 33.61 | 5.88 |
| 65-74 | 0 | 0.00 | 0 | 0.00 | NA |
| 75-84 | 0 | 0.00 | 0 | 0.00 | NA |
| 85+ | 0 | 0.00 | 0 | 0.00 | NA |
| Unknown | 0 | | 0 | | NA |
| Total | 5,318 | 0.76 | 31,071 | 4.46 | 5.84 |
| Maternity* | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| 10-19 | 4533 | 1.83 | 11228 | 4.54 | 2.48 |
| 20-44 | 28377 | 37.36 | 71880 | 94.63 | 2.53 |
| 45-64 | 30 | 0.41 | 71 | 0.98 | 2.37 |
| Unknown | 0 | | 0 | | NA |
| Total | 32,940 | 9.97 | 83,179 | 25.18 | 2.53 |

*The maternity category is calculated using member months for members 10-64 years.

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (IPUB) | | | | | |
|--|---------------|----------------------------------|------|-----------------------------|------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Age | Member Months | | | | |
| <1 | NR | | | | |
| 1-9 | NR | | | | |
| 10-19 | NR | | | | |
| 20-44 | NR | | | | |
| 45-64 | NR | | | | |
| 65-74 | NR | | | | |
| 75-84 | NR | | | | |
| 85+ | NR | | | | |
| Unknown | NR | | | | |
| Total | NR | | | | |
| Total Inpatient | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | NR | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |
| Medicine | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | NR | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (IPUB) | | | | | |
|--|------------|----------------------------------|------|-----------------------------|------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| 45-64 | NR | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |
| Surgery | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | NR | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |
| Maternity* | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |

*The maternity category is calculated using member months for members 10-64 years.

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Inpatient Utilization--General Hospital/Acute Care: Disabled (IPUC) | | | | | |
|--|---------------|----------------------------------|------|-----------------------------|------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Age | Member Months | | | | |
| <1 | NR | | | | |
| 1-9 | NR | | | | |
| 10-19 | NR | | | | |
| 20-44 | NR | | | | |
| 45-64 | NR | | | | |
| 65-74 | NR | | | | |
| 75-84 | NR | | | | |
| 85+ | NR | | | | |
| Unknown | NR | | | | |
| Total | NR | | | | |
| Total Inpatient | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | NR | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |
| Medicine | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | NR | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Inpatient Utilization--General Hospital/Acute Care: Disabled (IPUC) | | | | | |
|--|------------|----------------------------------|------|-----------------------------|------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Age | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |
| Surgery | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | NR | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |
| Maternity* | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |

*The maternity category is calculated using member months for members 10-64 years.

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Inpatient Utilization--General Hospital/Acute Care: Other (IPUD) | | | | | |
|--|---------------|----------------------------------|------|-----------------------------|------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Age | Member Months | | | | |
| <1 | NR | | | | |
| 1-9 | NR | | | | |
| 10-19 | NR | | | | |
| 20-44 | NR | | | | |
| 45-64 | NR | | | | |
| 65-74 | NR | | | | |
| 75-84 | NR | | | | |
| 85+ | NR | | | | |
| Unknown | NR | | | | |
| Total | NR | | | | |
| Total Inpatient | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | NR | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |
| Medicine | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | NR | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Inpatient Utilization--General Hospital/Acute Care: Other (IPUD) | | | | | |
|--|------------|----------------------------------|------|-----------------------------|------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| 45-64 | NR | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |
| Surgery | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| <1 | NR | NR | NR | NR | NR |
| 1-9 | NR | NR | NR | NR | NR |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| 65-74 | NR | NR | NR | NR | NR |
| 75-84 | NR | NR | NR | NR | NR |
| 85+ | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |
| Maternity* | | | | | |
| Age | Discharges | Discharges / 1,000 Member Months | Days | Days / 1,000 Members Months | Average Length of Stay |
| 10-19 | NR | NR | NR | NR | NR |
| 20-44 | NR | NR | NR | NR | NR |
| 45-64 | NR | NR | NR | NR | NR |
| Unknown | NR | | NR | | NR |
| Total | NR | NR | NR | NR | NR |

*The maternity category is calculated using member months for members 10-64 years.

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Identification of Alcohol and Other Drug Services: Total (IADA) | | | | | | | | | | | | | |
|--|---------------------|------------------|------------------|---------------------------|------------------|------------------|---------------------------|------------------|------------------|-------------------------------|------------------|------------------|--|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | |
| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive) | | | Member Months (Outpatient/ED) | | | |
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | |
| 0-12 | 2335059 | 2274701 | 4,609,760 | 2335059 | 2274701 | 4,609,760 | 2335059 | 2274701 | 4,609,760 | 2335059 | 2274701 | 4,609,760 | |
| 13-17 | 653584 | 658148 | 1,311,732 | 653584 | 658148 | 1,311,732 | 653584 | 658148 | 1,311,732 | 653584 | 658148 | 1,311,732 | |
| 18-24 | 102090 | 305038 | 407,128 | 102090 | 305038 | 407,128 | 102090 | 305038 | 407,128 | 102090 | 305038 | 407,128 | |
| 25-34 | 31187 | 342803 | 373,990 | 31187 | 342803 | 373,990 | 31187 | 342803 | 373,990 | 31187 | 342803 | 373,990 | |
| 35-64 | 45764 | 224409 | 270,173 | 45764 | 224409 | 270,173 | 45764 | 224409 | 270,173 | 45764 | 224409 | 270,173 | |
| 65+ | 36 | 66 | 102 | 36 | 66 | 102 | 36 | 66 | 102 | 36 | 66 | 102 | |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Total | 3,167,720 | 3,805,165 | 6,972,885 | 3,167,720 | 3,805,165 | 6,972,885 | 3,167,720 | 3,805,165 | 6,972,885 | 3,167,720 | 3,805,165 | 6,972,885 | |
| Age | Sex | Any Services | | Inpatient | | Intensive | | Outpatient/ED | | | | | |
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | | |
| 0-12 | M | 100 | 0.05% | 12 | 0.01% | 2 | 0.00% | 89 | 0.05% | | | | |
| | F | 68 | 0.04% | 9 | 0.00% | 1 | 0.00% | 61 | 0.03% | | | | |
| | Total | 168 | 0.04% | 21 | 0.01% | 3 | 0.00% | 150 | 0.04% | | | | |
| 13-17 | M | 731 | 1.34% | 135 | 0.25% | 36 | 0.07% | 640 | 1.18% | | | | |
| | F | 505 | 0.92% | 155 | 0.28% | 40 | 0.07% | 391 | 0.71% | | | | |
| | Total | 1,236 | 1.13% | 290 | 0.27% | 76 | 0.07% | 1,031 | 0.94% | | | | |
| 18-24 | M | 220 | 2.59% | 54 | 0.63% | 8 | 0.09% | 189 | 2.22% | | | | |
| | F | 935 | 3.68% | 369 | 1.45% | 30 | 0.12% | 687 | 2.70% | | | | |
| | Total | 1,155 | 3.40% | 423 | 1.25% | 38 | 0.11% | 876 | 2.58% | | | | |
| 25-34 | M | 263 | 10.12% | 51 | 1.96% | 6 | 0.23% | 242 | 9.31% | | | | |
| | F | 2,179 | 7.63% | 621 | 2.17% | 84 | 0.29% | 1,858 | 6.50% | | | | |
| | Total | 2,442 | 7.84% | 672 | 2.16% | 90 | 0.29% | 2,100 | 6.74% | | | | |
| 35-64 | M | 448 | 11.75% | 102 | 2.67% | 11 | 0.29% | 389 | 10.20% | | | | |
| | F | 1,633 | 8.73% | 326 | 1.74% | 40 | 0.21% | 1,474 | 7.88% | | | | |
| | Total | 2,081 | 9.24% | 428 | 1.90% | 51 | 0.23% | 1,863 | 8.27% | | | | |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | | | | |
| | F | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | | | | |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | | | | |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA | | | | |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA | | | | |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA | | | | |
| Total | M | 1,762 | 0.67% | 354 | 0.13% | 63 | 0.02% | 1,549 | 0.59% | | | | |
| | F | 5,320 | 1.68% | 1,480 | 0.47% | 195 | 0.06% | 4,471 | 1.41% | | | | |
| | Total | 7,082 | 1.22% | 1,834 | 0.32% | 258 | 0.04% | 6,020 | 1.04% | | | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Identification of Alcohol and Other Drug Services: Dual Eligibles (IADB) | | | | | | | | | | | | |
|--|---------------------|--------------|---------|---------------------------|---------|-----------|---------------------------|---------------|---------|-------------------------------|--------|-------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | |
| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive) | | | Member Months (Outpatient/ED) | | |
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-24 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 25-34 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-64 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Age | Sex | Any Services | | Inpatient | | Intensive | | Outpatient/ED | | | | |
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | |
| 0-12 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 13-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 18-24 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 25-34 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 35-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 65+ | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Identification of Alcohol and Other Drug Services: Disabled (IADC) | | | | | | | | | | | | |
|--|---------------------|--------------|---------|---------------------------|---------|-----------|---------------------------|---------------|---------|-------------------------------|--------|-------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | |
| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive) | | | Member Months (Outpatient/ED) | | |
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-24 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 25-34 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-64 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Age | Sex | Any Services | | Inpatient | | Intensive | | Outpatient/ED | | | | |
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | |
| 0-12 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 13-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 18-24 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 25-34 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 35-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 65+ | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Identification of Alcohol and Other Drug Services: Other (IADD) | | | | | | | | | | | | |
|--|---------------------|--------------|---------|---------------------------|---------|-----------|---------------------------|---------------|---------|-------------------------------|--------|-------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | |
| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive) | | | Member Months (Outpatient/ED) | | |
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-24 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 25-34 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-64 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Age | Sex | Any Services | | Inpatient | | Intensive | | Outpatient/ED | | | | |
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | |
| 0-12 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 13-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 18-24 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 25-34 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 35-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 65+ | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Mental Health Utilization: Total (MPTA) | | | | | | | | | | | | | |
|--|---------------------|------------------|------------------|---------------------------|------------------|------------------|---------------------------|------------------|------------------|-------------------------------|------------------|------------------|--|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | |
| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive) | | | Member Months (Outpatient/ED) | | | |
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | |
| 0-12 | 2335059 | 2274701 | 4,609,760 | 2335059 | 2274701 | 4,609,760 | 2335059 | 2274701 | 4,609,760 | 2335059 | 2274701 | 4,609,760 | |
| 13-17 | 653584 | 658148 | 1,311,732 | 653584 | 658148 | 1,311,732 | 653584 | 658148 | 1,311,732 | 653584 | 658148 | 1,311,732 | |
| 18-64 | 179041 | 872250 | 1,051,291 | 179041 | 872250 | 1,051,291 | 179041 | 872250 | 1,051,291 | 179041 | 872250 | 1,051,291 | |
| 65+ | 36 | 66 | 102 | 36 | 66 | 102 | 36 | 66 | 102 | 36 | 66 | 102 | |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Total | 3,167,720 | 3,805,165 | 6,972,885 | 3,167,720 | 3,805,165 | 6,972,885 | 3,167,720 | 3,805,165 | 6,972,885 | 3,167,720 | 3,805,165 | 6,972,885 | |
| Age | Sex | Any Services | | Inpatient | | Intensive | | Outpatient/ED | | | | | |
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | | |
| 0-12 | M | 17489 | 8.99% | 276 | 0.14% | 140 | 0.07% | 17457 | 8.97% | | | | |
| | F | 10607 | 5.60% | 213 | 0.11% | 87 | 0.05% | 10577 | 5.58% | | | | |
| | Total | 28,096 | 7.31% | 489 | 0.13% | 227 | 0.06% | 28,034 | 7.30% | | | | |
| 13-17 | M | 6900 | 12.67% | 508 | 0.93% | 149 | 0.27% | 6822 | 12.53% | | | | |
| | F | 7115 | 12.97% | 960 | 1.75% | 267 | 0.49% | 6945 | 12.66% | | | | |
| | Total | 14,015 | 12.82% | 1,468 | 1.34% | 416 | 0.38% | 13,767 | 12.59% | | | | |
| 18-64 | M | 1235 | 8.28% | 167 | 1.12% | 23 | 0.15% | 1177 | 7.89% | | | | |
| | F | 8258 | 11.36% | 768 | 1.06% | 134 | 0.18% | 8005 | 11.01% | | | | |
| | Total | 9,493 | 10.84% | 935 | 1.07% | 157 | 0.18% | 9,182 | 10.48% | | | | |
| 65+ | M | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | | | | |
| | F | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | | | | |
| | Total | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | | | | |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | 0 | NA | | | | |
| | F | 0 | NA | 0 | NA | 0 | NA | 0 | NA | | | | |
| | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA | | | | |
| Total | M | 25,624 | 9.71% | 951 | 0.36% | 312 | 0.12% | 25,456 | 9.64% | | | | |
| | F | 25,980 | 8.19% | 1,941 | 0.61% | 488 | 0.15% | 25,527 | 8.05% | | | | |
| | Total | 51,604 | 8.88% | 2,892 | 0.50% | 800 | 0.14% | 50,983 | 8.77% | | | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Mental Health Utilization: Dual Eligibles (MPTB) | | | | | | | | | | | | |
|--|---------------------|--------------|---------|---------------------------|---------|-----------|---------------------------|---------------|---------|-------------------------------|--------|-------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | |
| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive) | | | Member Months (Outpatient/ED) | | |
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-64 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Age | Sex | Any Services | | Inpatient | | Intensive | | Outpatient/ED | | | | |
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | |
| 0-12 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 13-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 18-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 65+ | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Mental Health Utilization: Disabled (MPTC) | | | | | | | | | | | | |
|--|---------------------|--------------|---------|---------------------------|---------|-----------|---------------------------|---------------|---------|-------------------------------|--------|-------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | |
| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive) | | | Member Months (Outpatient/ED) | | |
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-64 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Age | Sex | Any Services | | Inpatient | | Intensive | | Outpatient/ED | | | | |
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | |
| 0-12 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 13-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 18-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 65+ | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Mental Health Utilization: Other (MPTD) | | | | | | | | | | | | |
|--|---------------------|--------------|---------|---------------------------|---------|-----------|---------------------------|---------------|---------|-------------------------------|--------|-------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | |
| Age | Member Months (Any) | | | Member Months (Inpatient) | | | Member Months (Intensive) | | | Member Months (Outpatient/ED) | | |
| | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| 0-12 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 13-17 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-64 | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 65+ | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Unknown | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Age | Sex | Any Services | | Inpatient | | Intensive | | Outpatient/ED | | | | |
| | | Number | Percent | Number | Percent | Number | Percent | Number | Percent | | | |
| 0-12 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 13-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 18-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| 65+ | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | | | |

| Antibiotic Utilization: Total (ABXA) | | | | | | | | | | | | | | | |
|--|-----------|-------------------------|-------------------------------------|---|---|---|--|---|---|------------------------|-----------------------------------|--------------------------|-------------------------------------|---|--|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | |
| Pharmacy Benefit Member Months | | | | | | | | | | | | | | | |
| Age | Male | Female | Total | | | | | | | | | | | | |
| 0-9 | 1860664 | 1808294 | 3,668,958 | | | | | | | | | | | | |
| 10-17 | 1127979 | 1124555 | 2,252,534 | | | | | | | | | | | | |
| 18-34 | 133277 | 647841 | 781,118 | | | | | | | | | | | | |
| 35-49 | 38292 | 197076 | 235,368 | | | | | | | | | | | | |
| 50-64 | 7472 | 27333 | 34,805 | | | | | | | | | | | | |
| 65-74 | 36 | 59 | 95 | | | | | | | | | | | | |
| 75-84 | 0 | 6 | 6 | | | | | | | | | | | | |
| 85+ | 0 | 1 | 1 | | | | | | | | | | | | |
| Unknown | 0 | 0 | 0 | | | | | | | | | | | | |
| Total | 3,167,720 | 3,805,165 | 6,972,885 | | | | | | | | | | | | |
| Antibiotic Utilization | | | | | | | | | | | | | | | |
| Age | Sex | Total Antibiotic Scrips | Average Scrips PMPY for Antibiotics | Total Days Supplied for All Antibiotic Scrips | Average Days Supplied per Antibiotic Scrip | Total Number of Scrips for Antibiotics of Concern | Average Scrips PMPY for Antibiotics of Concern | Percentage of Antibiotics of Concern of all Antibiotic Scrips | | | | | | | |
| 0-9 | M | 190187 | 1.23 | 1799412 | 9.46 | 80494 | 0.52 | 42.32% | | | | | | | |
| | F | 185546 | 1.23 | 1768667 | 9.53 | 73918 | 0.49 | 39.84% | | | | | | | |
| | Total | 375,733 | 1.23 | 3,568,079 | 9.50 | 154,412 | 0.51 | 41.10% | | | | | | | |
| 10-17 | M | 57259 | 0.61 | 579735 | 10.12 | 24196 | 0.26 | 42.26% | | | | | | | |
| | F | 76166 | 0.81 | 737370 | 9.68 | 29857 | 0.32 | 39.20% | | | | | | | |
| | Total | 133,425 | 0.71 | 1,317,105 | 9.87 | 54,053 | 0.29 | 40.51% | | | | | | | |
| 18-34 | M | 7492 | 0.67 | 71180 | 9.50 | 3084 | 0.28 | 41.16% | | | | | | | |
| | F | 95751 | 1.77 | 749902 | 7.83 | 34678 | 0.64 | 36.22% | | | | | | | |
| | Total | 103,243 | 1.59 | 821,082 | 7.95 | 37,762 | 0.58 | 36.58% | | | | | | | |
| 35-49 | M | 3807 | 1.19 | 33675 | 8.85 | 1764 | 0.55 | 46.34% | | | | | | | |
| | F | 31396 | 1.91 | 260489 | 8.30 | 14083 | 0.86 | 44.86% | | | | | | | |
| | Total | 35,203 | 1.79 | 294,164 | 8.36 | 15,847 | 0.81 | 45.02% | | | | | | | |
| 50-64 | M | 678 | 1.09 | 6114 | 9.02 | 327 | 0.53 | 48.23% | | | | | | | |
| | F | 4262 | 1.87 | 36007 | 8.45 | 2159 | 0.95 | 50.66% | | | | | | | |
| | Total | 4,940 | 1.70 | 42,121 | 8.53 | 2,486 | 0.86 | 50.32% | | | | | | | |
| 65-74 | M | 0 | 0.00 | 0 | NA | 0 | 0.00 | NA | | | | | | | |
| | F | 6 | 1.22 | 55 | 9.17 | 4 | 0.81 | 66.67% | | | | | | | |
| | Total | 6 | 0.76 | 55 | 9.17 | 4 | 0.51 | 66.67% | | | | | | | |
| 75-84 | M | 0 | NA | 0 | NA | 0 | NA | NA | | | | | | | |
| | F | 0 | 0.00 | 0 | NA | 0 | 0.00 | NA | | | | | | | |
| | Total | 0 | 0.00 | 0 | NA | 0 | 0.00 | NA | | | | | | | |
| 85+ | M | 0 | NA | 0 | NA | 0 | NA | NA | | | | | | | |
| | F | 0 | 0.00 | 0 | NA | 0 | 0.00 | NA | | | | | | | |
| | Total | 0 | 0.00 | 0 | NA | 0 | 0.00 | NA | | | | | | | |
| Unknown | M | 0 | NA | 0 | NA | 0 | NA | NA | | | | | | | |
| | F | 0 | NA | 0 | NA | 0 | NA | NA | | | | | | | |
| | Total | 0 | NA | 0 | NA | 0 | NA | NA | | | | | | | |
| Total | M | 259,423 | 0.98 | 2,490,116 | 9.60 | 109,865 | 0.42 | 42.35% | | | | | | | |
| | F | 393,127 | 1.24 | 3,552,490 | 9.04 | 154,699 | 0.49 | 39.35% | | | | | | | |
| | Total | 652,550 | 1.12 | 6,042,606 | 9.26 | 264,564 | 0.46 | 40.54% | | | | | | | |
| Antibiotics of Concern Utilization | | | | | | | | | | | | | | | |
| Age | Sex | Total Quinolone Scrips | Average Scrips PMPY for Quinolones | Total Cephalexin 2nd-4th Generation Scrips | Average Scrips PMPY for Cephalexin 2nd-4th Generation | Total Azithromycin and Clarithromy whole scrips | Average Scrips PMPY for Azithromycin and Clarithromy whole | Total Amoxicillin/Clavulanate Scrips | Average Scrips PMPY for Amoxicillin/Clavulanate | Total Ketolides Scrips | Average Scrips PMPY for Ketolides | Total Clindamycin Scrips | Average Scrips PMPY for Clindamycin | Total Misc. Antibiotics of Concern Scrips | Average Scrips PMPY for Misc. Antibiotics of Concern |
| 0-9 | M | 95 | 0.00 | 21330 | 0.14 | 29200 | 0.19 | 26920 | 0.17 | 0 | 0.00 | 2934 | 0.02 | 15 | 0.00 |
| | F | 108 | 0.00 | 20551 | 0.14 | 26393 | 0.18 | 24157 | 0.16 | 0 | 0.00 | 2682 | 0.02 | 27 | 0.00 |
| | Total | 203 | 0.00 | 41,881 | 0.14 | 55,593 | 0.18 | 51,077 | 0.17 | 0 | 0.00 | 5,616 | 0.02 | 42 | 0.00 |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Antibiotic Utilization: Total (ABXA) | | | | | | | | | | | | | | | | | |
|--|-------|--------|------|----|------|--------|------|---|------|-------|------|---------|------|--------|------|--------|------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | | | |
| Total | Total | 0 | NA | 0 | NA | 0 | NA | 0 | NA | 0 | NA | 0 | NA | 0 | NA | 0 | NA |
| | M | 12,348 | 0.05 | 23 | 0.00 | 20,648 | 0.08 | 0 | 0.00 | 397 | 0.00 | 111,300 | 0.42 | 3,946 | 0.01 | 896 | 0.00 |
| | F | 31,420 | 0.10 | 63 | 0.00 | 30,687 | 0.10 | 0 | 0.00 | 713 | 0.00 | 135,982 | 0.43 | 6,059 | 0.02 | 33,504 | 0.11 |
| | Total | 43,768 | 0.08 | 86 | 0.00 | 51,335 | 0.09 | 0 | 0.00 | 1,110 | 0.00 | 247,282 | 0.43 | 10,005 | 0.02 | 34,400 | 0.06 |

| Antibiotic Utilization: Dual Eligibles (ABXB) | | | | | | | | | | | | | | | |
|--|-------|-------------------------|-------------------------------------|---|---|---|---|---|--|------------------------|-----------------------------------|--------------------------|-------------------------------------|---|--|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | |
| Member Months | | | | | | | | | | | | | | | |
| Age | | Member Months | | | | | | | | | | | | | |
| | | Male | Female | Total | | | | | | | | | | | |
| 0-9 | | NR | NR | NR | | | | | | | | | | | |
| 10-17 | | NR | NR | NR | | | | | | | | | | | |
| 18-34 | | NR | NR | NR | | | | | | | | | | | |
| 35-49 | | NR | NR | NR | | | | | | | | | | | |
| 50-64 | | NR | NR | NR | | | | | | | | | | | |
| 65-74 | | NR | NR | NR | | | | | | | | | | | |
| 75-84 | | NR | NR | NR | | | | | | | | | | | |
| 85+ | | NR | NR | NR | | | | | | | | | | | |
| Unknown | | NR | NR | NR | | | | | | | | | | | |
| Total | | NR | NR | NR | | | | | | | | | | | |
| Antibiotic Utilization | | | | | | | | | | | | | | | |
| Age | Sex | Total Antibiotic Scrips | Average Scrips PMPY for Antibiotics | Total Days Supplied for All Antibiotic Scrips | Average Days Supplied per Antibiotic Scrip | Total Number of Scrips for Antibiotics of Concern | Average Scrips PMPY for Antibiotics of Concern | Percentage of Antibiotics of Concern of all Antibiotic Scrips | | | | | | | |
| 0-9 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 10-17 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 18-34 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 35-49 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 50-64 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 65-74 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 75-84 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 85+ | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| Antibiotics of Concern Utilization | | | | | | | | | | | | | | | |
| Age | Sex | Total Quinolone Scrips | Average Scrips PMPY for Quinolones | Total Cephalosporin 2nd-4th Generation Scrips | Average Scrips PMPY for Cephalosporins 2nd-4th Generation | Total Azithromycin and Clarithromycin Scrips | Average Scrips PMPY for Azithromycins and Clarithromycins | Total Amoxicillin/Clavulanate Scrips | Average Scrips PMPY for Amoxicillin/Clavulanates | Total Ketolides Scrips | Average Scrips PMPY for Ketolides | Total Clindamycin Scrips | Average Scrips PMPY for Clindamycin | Total Misc. Antibiotics of Concern Scrips | Average Scrips PMPY for Misc. Antibiotics of Concern |
| 0-9 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Antibiotic Utilization: Dual Eligibles (ABXB) | | | | | | | | | | | | | | | | | |
|--|-------|-------------------------------------|---|-----------------------------|---|---|---|--------------------------|--------------------------------------|--|---|-------------------------|-------------------------------------|---------------------------|---------------------------------------|-------------------------------|---|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 10-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 18-34 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 35-49 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 50-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 65-74 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 75-84 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 85+ | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| All Other Antibiotics Utilization | | | | | | | | | | | | | | | | | |
| Age | Sex | Total Absorbable Sulfonamide Scrips | Average Scrips PMPY for Absorbable Sulfonamides | Total Aminoglycoside Scrips | Average Scrips PMPY for Aminoglycosides | Total 1st Generation Cephalosporin Scrips | Average Scrips PMPY for 1st Generation Cephalosporins | Total Lincosamide Scrips | Average Scrips PMPY for Lincosamides | Total Macrolides (not azith. or clarith.) Scrips | Average Scrips PMPY for Macrolides (not azith. or clarith.) | Total Penicillin Scrips | Average Scrips PMPY for Penicillins | Total Tetracycline Scrips | Average Scrips PMPY for Tetracyclines | Total Misc. Antibiotic Scrips | Average Scrips PMPY for Misc. Antibiotics |
| 0-9 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 10-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-34 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-49 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 50-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 65-74 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 75-84 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 85+ | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Antibiotic Utilization: Dual Eligibles (ABXB) | | | | | | | | | | | | | | | | | | |
|--|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | | | | |
| Unknown | F | NR |
| | Total | NR |
| Total | M | NR |
| | F | NR |
| | Total | NR |

| Antibiotic Utilization: Disabled (ABXC) | | | | | | | | | | | | | | | |
|--|---------------|-------------------------|-------------------------------------|---|---|---|---|---|--|------------------------|-----------------------------------|--------------------------|-------------------------------------|---|--|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | |
| Member Months | | | | | | | | | | | | | | | |
| Age | Member Months | | Male | Female | Total | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 0-9 | NR | NR | NR | | | | | | | | | | | | |
| 10-17 | NR | NR | NR | | | | | | | | | | | | |
| 18-34 | NR | NR | NR | | | | | | | | | | | | |
| 35-49 | NR | NR | NR | | | | | | | | | | | | |
| 50-64 | NR | NR | NR | | | | | | | | | | | | |
| 65-74 | NR | NR | NR | | | | | | | | | | | | |
| 75-84 | NR | NR | NR | | | | | | | | | | | | |
| 85+ | NR | NR | NR | | | | | | | | | | | | |
| Unknown | NR | NR | NR | | | | | | | | | | | | |
| Total | NR | NR | NR | | | | | | | | | | | | |
| Antibiotic Utilization | | | | | | | | | | | | | | | |
| Age | Sex | Total Antibiotic Scrips | Average Scrips PMPY for Antibiotics | Total Days Supplied for All Antibiotic Scrips | Average Days Supplied per Antibiotic Scrip | Total Number of Scrips for Antibiotics of Concern | Average Scrips PMPY for Antibiotics of Concern | Percentage of Antibiotics of Concern of all Antibiotic Scrips | | | | | | | |
| 0-9 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 10-17 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 18-34 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 35-49 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 50-64 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 65-74 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 75-84 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 85+ | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| Antibiotics of Concern Utilization | | | | | | | | | | | | | | | |
| Age | Sex | Total Quinolone Scrips | Average Scrips PMPY for Quinolones | Total Cephalosporin 2nd-4th Generation Scrips | Average Scrips PMPY for Cephalosporins 2nd-4th Generation | Total Azithromycin and Clarithromycin Scrips | Average Scrips PMPY for Azithromycins and Clarithromycins | Total Amoxicillin/Clavulanate Scrips | Average Scrips PMPY for Amoxicillin/Clavulanates | Total Ketolides Scrips | Average Scrips PMPY for Ketolides | Total Clindamycin Scrips | Average Scrips PMPY for Clindamycin | Total Misc. Antibiotics of Concern Scrips | Average Scrips PMPY for Misc. Antibiotics of Concern |
| 0-9 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Antibiotic Utilization: Disabled (ABXC) | | | | | | | | | | | | | | | | | |
|--|-------|-------------------------------------|---|-----------------------------|---|---|---|--------------------------|--------------------------------------|--|---|-------------------------|-------------------------------------|---------------------------|---------------------------------------|-------------------------------|---|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 10-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 18-34 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 35-49 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 50-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 65-74 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 75-84 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 85+ | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| All Other Antibiotics Utilization | | | | | | | | | | | | | | | | | |
| Age | Sex | Total Absorbable Sulfonamide Scrips | Average Scrips PMPY for Absorbable Sulfonamides | Total Aminoglycoside Scrips | Average Scrips PMPY for Aminoglycosides | Total 1st Generation Cephalosporin Scrips | Average Scrips PMPY for 1st Generation Cephalosporins | Total Lincosamide Scrips | Average Scrips PMPY for Lincosamides | Total Macrolides (not azith. or clarith.) Scrips | Average Scrips PMPY for Macrolides (not azith. or clarith.) | Total Penicillin Scrips | Average Scrips PMPY for Penicillins | Total Tetracycline Scrips | Average Scrips PMPY for Tetracyclines | Total Misc. Antibiotic Scrips | Average Scrips PMPY for Misc. Antibiotics |
| 0-9 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 10-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-34 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-49 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 50-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 65-74 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 75-84 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 85+ | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Antibiotic Utilization: Disabled (ABXC) | | | | | | | | | | | | | | | | | | |
|--|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | | | | |
| Unknown | F | NR |
| | Total | NR |
| Total | M | NR |
| | F | NR |
| | Total | NR |

| Antibiotic Utilization: Other (ABXD) | | | | | | | | | | | | | | | |
|--|---------------|-------------------------|-------------------------------------|---|---|---|---|---|--|------------------------|-----------------------------------|--------------------------|-------------------------------------|---|--|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | |
| Member Months | | | | | | | | | | | | | | | |
| Age | Member Months | | Male | Female | Total | | | | | | | | | | |
| | Male | Female | | | | | | | | | | | | | |
| 0-9 | NR | NR | NR | | | | | | | | | | | | |
| 10-17 | NR | NR | NR | | | | | | | | | | | | |
| 18-34 | NR | NR | NR | | | | | | | | | | | | |
| 35-49 | NR | NR | NR | | | | | | | | | | | | |
| 50-64 | NR | NR | NR | | | | | | | | | | | | |
| 65-74 | NR | NR | NR | | | | | | | | | | | | |
| 75-84 | NR | NR | NR | | | | | | | | | | | | |
| 85+ | NR | NR | NR | | | | | | | | | | | | |
| Unknown | NR | NR | NR | | | | | | | | | | | | |
| Total | NR | NR | NR | | | | | | | | | | | | |
| Antibiotic Utilization | | | | | | | | | | | | | | | |
| Age | Sex | Total Antibiotic Scrips | Average Scrips PMPY for Antibiotics | Total Days Supplied for All Antibiotic Scrips | Average Days Supplied per Antibiotic Scrip | Total Number of Scrips for Antibiotics of Concern | Average Scrips PMPY for Antibiotics of Concern | Percentage of Antibiotics of Concern of all Antibiotic Scrips | | | | | | | |
| 0-9 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 10-17 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 18-34 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 35-49 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 50-64 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 65-74 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 75-84 | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| 85+ | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | F | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | | | | | | | |
| Antibiotics of Concern Utilization | | | | | | | | | | | | | | | |
| Age | Sex | Total Quinolone Scrips | Average Scrips PMPY for Quinolones | Total Cephalosporin 2nd-4th Generation Scrips | Average Scrips PMPY for Cephalosporins 2nd-4th Generation | Total Azithromycin and Clarithromycin Scrips | Average Scrips PMPY for Azithromycins and Clarithromycins | Total Amoxicillin/Clavulanate Scrips | Average Scrips PMPY for Amoxicillin/Clavulanates | Total Ketolides Scrips | Average Scrips PMPY for Ketolides | Total Clindamycin Scrips | Average Scrips PMPY for Clindamycin | Total Misc. Antibiotics of Concern Scrips | Average Scrips PMPY for Misc. Antibiotics of Concern |
| 0-9 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Antibiotic Utilization: Other (ABXD) | | | | | | | | | | | | | | | | | |
|--|-------|-------------------------------------|---|-----------------------------|---|---|---|--------------------------|--------------------------------------|--|---|-------------------------|-------------------------------------|---------------------------|---------------------------------------|-------------------------------|---|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | | | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 10-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 18-34 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 35-49 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 50-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 65-74 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 75-84 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| 85+ | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| Unknown | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| Total | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | |
| All Other Antibiotics Utilization | | | | | | | | | | | | | | | | | |
| Age | Sex | Total Absorbable Sulfonamide Scrips | Average Scrips PMPY for Absorbable Sulfonamides | Total Aminoglycoside Scrips | Average Scrips PMPY for Aminoglycosides | Total 1st Generation Cephalosporin Scrips | Average Scrips PMPY for 1st Generation Cephalosporins | Total Lincosamide Scrips | Average Scrips PMPY for Lincosamides | Total Macrolides (not azith. or clarith.) Scrips | Average Scrips PMPY for Macrolides (not azith. or clarith.) | Total Penicillin Scrips | Average Scrips PMPY for Penicillins | Total Tetracycline Scrips | Average Scrips PMPY for Tetracyclines | Total Misc. Antibiotic Scrips | Average Scrips PMPY for Misc. Antibiotics |
| 0-9 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 10-17 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 18-34 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 35-49 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 50-64 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 65-74 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 75-84 | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| 85+ | M | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | F | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| | Total | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR |

| Antibiotic Utilization: Other (ABXD) | | | | | | | | | | | | | | | | | | |
|--|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | | | | | | | |
| Unknown | F | NR |
| | Total | NR |
| Total | M | NR |
| | F | NR |
| | Total | NR |

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Board Certification (BCR) | | | |
|------------------------------------|---|----------------------------|----------------|
| Type of Physician | Number of Physicians in Each Practice Area | Board Certification | |
| | | Number | Percent |
| Family Medicine | 1465 | 944 | 64.44% |
| Internal Medicine | 1559 | 966 | 61.96% |
| OB/GYN physicians | 989 | 583 | 58.95% |
| Pediatricians | 1319 | 789 | 59.82% |
| Geriatricians | 44 | 28 | 63.64% |
| Other physician specialists | 5347 | 3063 | 57.28% |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Total Membership (TLM) | |
|---|--------------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| Product/Product Line | Total Number of Members* |
| HMO (Total) | 599,634 |
| Medicaid | 599634 |
| Commercial | 0 |
| Medicare (cost or risk) | 0 |
| Other | 0 |
| PPO (Total) | 0 |
| Medicaid | 0 |
| Commercial | 0 |
| Medicare (cost or risk) | 0 |
| Other | 0 |
| POS (Total) | 0 |
| Medicaid | 0 |
| Commercial | 0 |
| Medicare (cost or risk) | 0 |
| Other | 0 |
| FFS (Total) | 0 |
| Medicaid | 0 |
| Commercial | 0 |
| Medicare (cost or risk) | 0 |
| Other | 0 |
| Total | 599,634 |

* Total number of members in each category as of

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Enrollment by Product Line: Total (ENPA) | | | |
|--|---------------------------|-----------------------------|----------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | |
| Age | Male Member Months | Female Member Months | Total Member Months |
| <1 | 220273 | 212894 | 433,167 |
| 1-4 | 701677 | 682797 | 1,384,474 |
| 5-9 | 938714 | 912603 | 1,851,317 |
| 10-14 | 766090 | 754227 | 1,520,317 |
| 15-17 | 361889 | 370328 | 732,217 |
| 18-19 | 93509 | 125580 | 219,089 |
| 0-19 Subtotal | 3,082,152 | 3,058,429 | 6,140,581 |
| 0-19 Subtotal: % | 97.30% | 80.38% | 88.06% |
| 20-24 | 8581 | 179458 | 188,039 |
| 25-29 | 14256 | 185650 | 199,906 |
| 30-34 | 16931 | 157153 | 174,084 |
| 35-39 | 16740 | 107178 | 123,918 |
| 40-44 | 13253 | 60415 | 73,668 |
| 20-44 Subtotal | 69,761 | 689,854 | 759,615 |
| 20-44 Subtotal: % | 2.20% | 18.13% | 10.89% |
| 45-49 | 8299 | 29483 | 37,782 |
| 50-54 | 4891 | 16630 | 21,521 |
| 55-59 | 1963 | 7211 | 9,174 |
| 60-64 | 618 | 3492 | 4,110 |
| 45-64 Subtotal | 15,771 | 56,816 | 72,587 |
| 45-64 Subtotal: % | 0.50% | 1.49% | 1.04% |
| 65-69 | 18 | 55 | 73 |
| 70-74 | 18 | 4 | 22 |
| 75-79 | 0 | 6 | 6 |
| 80-84 | 0 | 0 | 0 |
| 85-89 | 0 | 0 | 0 |
| >=90 | 0 | 1 | 1 |
| >=65 Subtotal | 36 | 66 | 102 |
| >=65 Subtotal: % | 0.00% | 0.00% | 0.00% |
| Age Unknown | 0 | 0 | 0 |
| Total | 3,167,720 | 3,805,165 | 6,972,885 |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Enrollment by Product Line: Dual Eligibles (ENPB) | | | |
|--|---------------------------|-----------------------------|----------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | |
| Age | Male Member Months | Female Member Months | Total Member Months |
| <1 | NR | NR | NR |
| 1-4 | NR | NR | NR |
| 5-9 | NR | NR | NR |
| 10-14 | NR | NR | NR |
| 15-17 | NR | NR | NR |
| 18-19 | NR | NR | NR |
| 0-19 Subtotal | NR | NR | NR |
| 0-19 Subtotal: % | NR | NR | NR |
| 20-24 | NR | NR | NR |
| 25-29 | NR | NR | NR |
| 30-34 | NR | NR | NR |
| 35-39 | NR | NR | NR |
| 40-44 | NR | NR | NR |
| 20-44 Subtotal | NR | NR | NR |
| 20-44 Subtotal: % | NR | NR | NR |
| 45-49 | NR | NR | NR |
| 50-54 | NR | NR | NR |
| 55-59 | NR | NR | NR |
| 60-64 | NR | NR | NR |
| 45-64 Subtotal | NR | NR | NR |
| 45-64 Subtotal: % | NR | NR | NR |
| 65-69 | NR | NR | NR |
| 70-74 | NR | NR | NR |
| 75-79 | NR | NR | NR |
| 80-84 | NR | NR | NR |
| 85-89 | NR | NR | NR |
| >=90 | NR | NR | NR |
| >=65 Subtotal | NR | NR | NR |
| >=65 Subtotal: % | NR | NR | NR |
| Age Unknown | NR | NR | NR |
| Total | NR | NR | NR |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Enrollment by Product Line: Disabled (ENPC) | | | |
|--|---------------------------|-----------------------------|----------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | |
| Age | Male Member Months | Female Member Months | Total Member Months |
| <1 | NR | NR | NR |
| 1-4 | NR | NR | NR |
| 5-9 | NR | NR | NR |
| 10-14 | NR | NR | NR |
| 15-17 | NR | NR | NR |
| 18-19 | NR | NR | NR |
| 0-19 Subtotal | NR | NR | NR |
| 0-19 Subtotal: % | NR | NR | NR |
| 20-24 | NR | NR | NR |
| 25-29 | NR | NR | NR |
| 30-34 | NR | NR | NR |
| 35-39 | NR | NR | NR |
| 40-44 | NR | NR | NR |
| 20-44 Subtotal | NR | NR | NR |
| 20-44 Subtotal: % | NR | NR | NR |
| 45-49 | NR | NR | NR |
| 50-54 | NR | NR | NR |
| 55-59 | NR | NR | NR |
| 60-64 | NR | NR | NR |
| 45-64 Subtotal | NR | NR | NR |
| 45-64 Subtotal: % | NR | NR | NR |
| 65-69 | NR | NR | NR |
| 70-74 | NR | NR | NR |
| 75-79 | NR | NR | NR |
| 80-84 | NR | NR | NR |
| 85-89 | NR | NR | NR |
| >=90 | NR | NR | NR |
| >=65 Subtotal | NR | NR | NR |
| >=65 Subtotal: % | NR | NR | NR |
| Age Unknown | NR | NR | NR |
| Total | NR | NR | NR |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Enrollment by Product Line: Other (ENPD) | | | |
|--|---------------------------|-----------------------------|----------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | |
| Age | Male Member Months | Female Member Months | Total Member Months |
| <1 | NR | NR | NR |
| 1-4 | NR | NR | NR |
| 5-9 | NR | NR | NR |
| 10-14 | NR | NR | NR |
| 15-17 | NR | NR | NR |
| 18-19 | NR | NR | NR |
| 0-19 Subtotal | NR | NR | NR |
| 0-19 Subtotal: % | NR | NR | NR |
| 20-24 | NR | NR | NR |
| 25-29 | NR | NR | NR |
| 30-34 | NR | NR | NR |
| 35-39 | NR | NR | NR |
| 40-44 | NR | NR | NR |
| 20-44 Subtotal | NR | NR | NR |
| 20-44 Subtotal: % | NR | NR | NR |
| 45-49 | NR | NR | NR |
| 50-54 | NR | NR | NR |
| 55-59 | NR | NR | NR |
| 60-64 | NR | NR | NR |
| 45-64 Subtotal | NR | NR | NR |
| 45-64 Subtotal: % | NR | NR | NR |
| 65-69 | NR | NR | NR |
| 70-74 | NR | NR | NR |
| 75-79 | NR | NR | NR |
| 80-84 | NR | NR | NR |
| 85-89 | NR | NR | NR |
| >=90 | NR | NR | NR |
| >=65 Subtotal | NR | NR | NR |
| >=65 Subtotal: % | NR | NR | NR |
| Age Unknown | NR | NR | NR |
| Total | NR | NR | NR |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Enrollment by State (EBS) | |
|---|--------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| State | Number |
| Alabama | 74 |
| Alaska | 0 |
| Arizona | 1 |
| Arkansas | 7 |
| California | 5 |
| Colorado | 1 |
| Connecticut | 0 |
| Delaware | 0 |
| District of Columbia | 4 |
| Florida | 74 |
| Georgia | 599321 |
| Hawaii | 0 |
| Idaho | 0 |
| Illinois | 14 |
| Indiana | 6 |
| Iowa | 4 |
| Kansas | 2 |
| Kentucky | 8 |
| Louisiana | 4 |
| Maine | 0 |
| Maryland | 3 |
| Massachusetts | 1 |
| Michigan | 12 |
| Minnesota | 0 |
| Mississippi | 3 |
| Missouri | 2 |
| Montana | 0 |
| Nebraska | 1 |
| Nevada | 1 |
| New Hampshire | 0 |
| New Jersey | 2 |
| New Mexico | 0 |
| New York | 5 |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Enrollment by State (EBS) | |
|---|----------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | |
| North Carolina | 9 |
| North Dakota | 0 |
| Ohio | 8 |
| Oklahoma | 1 |
| Oregon | 0 |
| Pennsylvania | 6 |
| Rhode Island | 0 |
| South Carolina | 22 |
| South Dakota | 0 |
| Tennessee | 13 |
| Texas | 7 |
| Utah | 1 |
| Vermont | 0 |
| Virginia | 3 |
| Washington | 5 |
| West Virginia | 1 |
| Wisconsin | 3 |
| Wyoming | 0 |
| American Samoa | 0 |
| Federated States of Micronesia | 0 |
| Guam | 0 |
| Commonwealth of Northern Marianas | 0 |
| Puerto Rico | 0 |
| Virgin Islands | 0 |
| Other | 0 |
| TOTAL | 599,634 |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Race/Ethnicity Diversity of Membership (RDM) | | | | | | | | | | | | |
|--|---------------------|------------|--------------------------|------------|-------------------|------------|--------------------|------------|---------|------------|--|--|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | | | | | | | | | | |
| Race/Ethnicity Diversity of Membership | | | | | | | | | | | | |
| Total Unduplicated Membership During the Measurement Year | | | | | | | | | | | | |
| Percentage of Members for Whom the Organization has Race/Ethnicity Information by Data Collection | | | | | | | | | | | | |
| Direct Data Collection Method | | | Indirect Data Collection | | | Unknown | | | | | | |
| Race | Direct Total | 100.00% | Indirect Total* | 0.0000 | 0.0000 | Total* | 0.0000 | | | | | |
| | Health Plan Direct* | 0.0000 | | | | | | | | | | |
| | CMS/State Database* | 1.0000 | | | | | | | | | | |
| | Other* | 0.0000 | | | | | | | | | | |
| Ethnicity | Direct Total | 100.00% | Indirect Total* | 0.0000 | 0.0000 | Total* | 0.0000 | | | | | |
| | Health Plan Direct* | 0.0000 | | | | | | | | | | |
| | CMS/State Database* | 1.0000 | | | | | | | | | | |
| | Other* | 0.0000 | | | | | | | | | | |
| *Enter percentage as a value between 0 and 1. | | | | | | | | | | | | |
| Race | Hispanic or Latino | | Not Hispanic or Latino | | Unknown Ethnicity | | Declined Ethnicity | | Total | | | |
| | Number | Percentage | Number | Percentage | Number | Percentage | Number | Percentage | Number | Percentage | | |
| White | 0 | 0.00% | 932 | 2.12% | 365457 | 52.18% | 0 | NR | 366,389 | 48.33% | | |
| Black or African American | 0 | 0.00% | 27961 | 63.52% | 305330 | 43.60% | 0 | NR | 333,291 | 43.96% | | |
| American-Indian and Alaska Native | 0 | 0.00% | 772 | 1.75% | 0 | 0.00% | 0 | NR | 772 | 0.10% | | |
| Asian | 0 | 0.00% | 13746 | 31.23% | 0 | 0.00% | 0 | NR | 13,746 | 1.81% | | |
| Native Hawaiian and Other Pacific Islanders | 0 | 0.00% | 611 | 1.39% | 0 | 0.00% | 0 | NR | 611 | 0.08% | | |
| Some Other Race | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | NR | 0 | 0.00% | | |
| Two or More Races | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | NR | 0 | 0.00% | | |
| Unknown | 13814 | 100.00% | 0 | 0.00% | 29538 | 4.22% | 0 | NR | 43,352 | 5.72% | | |
| Declined | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | NR | 0 | 0.00% | | |
| Total | 13,814 | 100.00% | 44,022 | 100.00% | 700,325 | 100.00% | 0 | NR | 758,161 | 100.00% | | |

Appendix D: Department of Community Health, State of Georgia
 HEDIS Interactive Data Submission System Data for
 WellCare

| Language Diversity of Membership (LDM) | | | |
|--|--------------------|---------------------|--------------------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | | |
| Percentage of Members With Known Language Value from Each Data Source | | | |
| Category | Health Plan Direct | CMS/State Databases | Other Third-Party Source |
| Spoken Language Preferred for Health Care* | 0.0000 | 0.9925 | 0.0075 |
| Preferred Language for Written Materials* | 0.0000 | 0.9925 | 0.0075 |
| Other Language Needs* | 0.0000 | 0.0000 | 1.0000 |

*Enter percentage as a value between 0 and 1.

| Spoken Language Preferred for Health Care | | |
|--|---------|------------|
| | Number | Percentage |
| English | 701926 | 92.58% |
| Non-English | 50536 | 6.67% |
| Unknown | 5699 | 0.75% |
| Declined | 0 | 0.00% |
| Total* | 758,161 | 100.00% |

| Language Preferred for Written Materials | | |
|---|---------|------------|
| | Number | Percentage |
| English | 701926 | 92.58% |
| Non-English | 50536 | 6.67% |
| Unknown | 5699 | 0.75% |
| Declined | 0 | 0.00% |
| Total* | 758,161 | 100.00% |

| Other Language Needs | | |
|-----------------------------|---------|------------|
| | Number | Percentage |
| English | 0 | 0.00% |
| Non-English | 0 | 0.00% |
| Unknown | 758161 | 100.00% |
| Declined | 0 | 0.00% |
| Total* | 758,161 | 100.00% |

*Should sum to 100%

Appendix D: Department of Community Health, State of Georgia
HEDIS Interactive Data Submission System Data for
WellCare

| Weeks of Pregnancy at Time of Enrollment in MCO | | |
|--|--------|------------|
| WellCare of Georgia, Inc. (Org ID: 4538, SubID: 10032, Medicaid, Spec Area: None, Spec Proj: None) | | |
| | | |
| Measurement Year | Number | Percentage |
| Measurement Year | 2014 | |
| Weeks of Pregnancy | Number | Percentage |
| < 0 weeks | 3094 | 10.83% |
| 1-12 weeks | 2031 | 7.11% |
| 13-27 weeks | 16201 | 56.69% |
| 28 or more weeks | 4778 | 16.72% |
| Unknown | 2476 | 8.66% |
| Total | 28,580 | 100.00% |